



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			Updated July 17, 2011
0502-001 Slurry Mixer Discharge		ICM MFG	1
0507-0001-00-01 Chain Pin Press - 18 x 20		ICM MFG	10
0507-0010A Manual Shaft Drive	Manual Shaft Drive 0507-0010A	ICM MFG	5
0507-0370-00-00 DA SKID PIPING RETRO FIT		ICM MFG	1
0507-0411-00-01 TANK DRAIN ASSEMBLY		ICM MFG	3
0507-0431-00-00 SIEVE INLET HUB MOUNTING	FLANGE	ICM MFG	24
0507-0471-00-01 TANK DRAIN MOUNTING FLANGE		ICM MFG	6
0507-0471-00-02 TANK - DRAIN MOUNTING FLANGE		ICM MFG	6
0507-0501-00-00 1/2 CS LIFTING LUG		ICM MFG	158
0507-0501-00-01 1/2 SS LIFTING LUG		ICM MFG	12
0507-3021-00-00 Adjustable Shelf Plate -	Cooling Drum Dropbox.	ICM MFG	1
0507-5001-00-00 DISTILLATION & EVAPORATION	MOLECULAR SIEVE TOP -IT TAKES 18 PIECES TO MAKE 1 PART	ICM MFG	3
0507-8301-00-00 GRAPHITE APPLICATOR TEMPLATE		ICM MFG	7
0507-8501-00-00 18 SCREW CONVEYOR BUTT STRAP		ICM MFG	8
0510-0151-00-00 DEGASSER SKID		ICM MFG	1
1010-1014F GUIDE BLOCKS - 2 X 1 HRS	flat bar rolled to 6'-10" x 3/8" Rad. cut to 8 long.	ICM MFG	76
1010-1302-OS Trunnion Bases & Guards	Trunnion Bases & Guards Sub assembly's for 1 set of Trunnion Base with Guards 1 each 1010-1302A,Trunnion Base Assy-Inlet-Does not include Adjuster Blocks w/Allthread & Hardware, color ICM Gray. 1 each 1010-1303A, Trunnion Base Assy-Drive- Does include Guide Roller Mounting Bracket 1010-1309A, without bolts welded in place per print 1010-1301. Does not include Adjuster Blocks w/ Allthread & Hardware, color ICM Gray. 2 each 1010-1315B, Graphite Applicator Support - 1 (R.H.), colorICM G	ICM MFG	38
1010-1512A DRUM TIRE PUSH BOLT, PER	sketch provided by Larry McIlrath. Each assembly consists of; 1 each 3510-50-57020 BOLTS 1-8UNC x 5 Hex GR8 plated, 1 each NUTS 1-8UNC Hex B7 FASTENAL #36558, 2 of 6020-26-15320 FLAT BAR 1/4 x 2 x 20' C.S.	ICM MFG	185
1010-2006-00-00REV1 Discharge Tire, 11'9 x 60'	Discharge Tire, 11'9" x 60' Steam Drum, Material AISI 4140 Steel, Thermal Process Quench and Temper to 285/321 Brinell, Finish Rough Machine to sizes shown on the blue print.	ICM MFG	10
1010-2006-00-00REV1 Discharge Tire, 11'9 x 60'	Discharge Tire, 11'9" x 60' Steam Drum, Material AISI 4140 Steel, Thermal Process Quench and Temper to 285/321 Brinell, Finish Rough Machine to sizes shown on the blue print.	ICM MFG	2
1010-2007-00-00 DRUM 11' -9 x 60' INTAKE TIRE		ICM MFG	10
1010-2007-00-00 DRUM 11' -9 x 60' INTAKE TIRE		ICM MFG	2
1010-2009-00-00 Intake Shell - for 11' 9" x 60	Intake Shell - for 11' 9" x 60' Steam Drum Tire Assembly.	ICM MFG	1
1010-2012-00-01 DRUM 11'-9 x 60' TIRE	RETAINER SET	ICM MFG	70
1010-2106-00-00 STEAM HEAD MOUNTING FLANGE -	STEAM HEAD MOUNTING FLANGE - For 11' 9" x 60' Steam Drum.	ICM MFG	13
1010-2301-00-00 Intake Base and Intake Base	Intake Base and Intake Base Assembly	ICM MFG	5
1010-2301-00-00 Intake Base and Intake Base	Intake Base and Intake Base Assembly	ICM MFG	2
1010-2302-00-00 Discharge Base and Discharge	Discharge Base and Discharge Base Assembly	ICM MFG	5
1010-2302-00-00 Discharge Base and Discharge	Discharge Base and Discharge Base Assembly	ICM MFG	2
1010-2304 FORGING - 36 TRUNION ROLL	37" O.D. x 7" I.D. x 16.875 in length. Material - AISI 4140 Steel, Thermal Process Quench and Temper to 285/321 Brinell, For 11'-9" x 60' Steam Drum.	ICM MFG	12
1010-2305 TRUNION ROLL SHAFT- FOR 11'-9	x 60' Steam Drum Material 4150-MOD Resalphurized HR Heat Treated S/R BA 8-1/2" RD x S/C 39	ICM MFG	12
1010-2306-00-00 THRUST ROLL - 7.5 X 6 X 36 -	Turned, Faced, Bored, and drilled and Tap holes. Per Print from Forging Part No. 1010-2306	ICM MFG	10
1010-2307-00-00 THRUST ROLL SHAFT - 5 X 9.718	Thrust Roll Shaft, Supplier Machine to Manufacturer Complete Per Print, From 4150 HT Material	ICM MFG	10
1010-2308-00-00 THRUST ROLL STAND - 4 X 12 X	16" - Supplier Machine to Manufacturer complete per print, from 1045 HRS Plate.	ICM MFG	10
1010-2309-00-00 THRUST ROLL CAP - 1/2 X 10 3/4	Supplier Machine to Manufacture Complete per print. From Mild Steel plate.	ICM MFG	10
1010-2314-00-00 RETAINER PLATE - TRUNION ROLL	Shaft, 3/4" x 8 3/4" shot blast, chamfer and drill three 25/2" holes per print from Bowe Machined Supplied A-36 HRS Plate.	ICM MFG	30
1010-2316-00-00 TRUNION ROLL SHAFT ASSEMBLY	Supplier to shrink trunion roll (1010-2304-00-00) on to Trunion Roll Shaft (1010-2305-00-00)	ICM MFG	7
1010-2317-00-00 Trunnion Roll Guards for 11' -	Trunnion Roll Guards for 11' -9" x 60" Steam Drum	ICM MFG	7
1010-2318-00-00 Trunnion Roll Guards w/Applica	Trunnion Roll Guards w/Applicator Brackets for 11' -9: x 60' Steam Drum	ICM MFG	9
1010-2319-00-00 DRUM 11'-9 DIA x 60' STEAM	GUARDS	ICM MFG	8
1010-2401-00-00 Spur Ring Gear 258T - for 11'	Spur Ring Gear 258T - for 11' - 9' x 60' Steam Drum Manufactured Complete Per Supplied Drawing #1010-2401-00-00 Rev. 0 Material 4340 QT Steel, 335-375 BHN No Additional Heat Treatment	ICM MFG	3
1010-2401-00-00 Spur Ring Gear 258T - for 11'	Spur Ring Gear 258T - for 11' - 9' x 60' Steam Drum Manufactured Complete Per Supplied Drawing #1010-2401-00-00 Rev. 0 Material 4340 QT Steel, 335-375 BHN No Additional Heat Treatment	ICM MFG	4
1010-2401-00-00R SPUR RING GEAR 258T - FOR 11'	** REFURBISHED ITEM**** SPUR RAIN GEAR 258T - FOR 11' - 9' x 60' STEAM DRUM MANUFACTURED COMPLETE PER SUPPLIED DRAWING #1010-2401-00-00 Rev. 0 Material 4340 QT Steel, 335-375 BHN No Additional Heat Treatment	ICM MFG	1
1010-2407-00-00 SPUR PINION 25T FOR 11'-9' X	60' STEAM DRUM MANUFACTURER COMPLETE PER SUPPLIED DRAWING 1010-2407-00-00 REV. 0. MATERIAL 4340 ANNEALED STEEL, THROUGH HARDINED TO375 MIN.	ICM MFG	8
1010-2407-00-00 SPUR PINION 25T FOR 11'-9' X	60' STEAM DRUM MANUFACTURER COMPLETE PER SUPPLIED DRAWING 1010-2407-00-00 REV. 0. MATERIAL 4340 ANNEALED STEEL, THROUGH HARDINED TO375 MIN.	ICM MFG	2
1010-2407-00-01 Spur Pinion For 41T 11' -9 x	Spur Pinion 41T - for 11' - 9' x 60' Steam Drum Manufacturer Complete Per Supplied Drawing #1010-2407-00-01 Rev. 0 Material 4340 Annealed Steel, Through Hardined To 375 MIN.	ICM MFG	2



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
1020-0001-100-03 SUPPORT COMBUSTION AIR - DUCT		ICM MFG	5
1020-0001-40-00 SUPPORT COMBUSTION AIR - DUCT		ICM MFG	2
1030-1006A-00-00 INLET RINGS - AIR HEATER	CONNECTION PLEUMN.	ICM MFG	1
1030-1006E-00-00 GUSSET 1 - CONNECTION	PLENIUM.	ICM MFG	8
1030-1006F-00-00 PLATE RING - CONNECTION	PLENUM.	ICM MFG	3
1040-1011C RINGS ROLLED - C.S. CHANNEL	ROLL TO 10' 1 5/8 O.D. - (LEG IN) (THIS COMES IN ONE COMPLETE RING).	ICM MFG	1
1040-1025-00-00 LADDER RUNG		ICM MFG	116
1040-8001-00-01 DROP BOX ACCESS PLATFORM, INCL	Drop Box Access Platform, including safety gates, standard for all plant sizes. Manufactured complete per ICM drawing 1040-8001-00-01 rev 0 through 104 0-8005-00-01 rev 0 and 1040-8006-00-01 rev 1 through 1040-8007-00-01 rev 1 and 1040-8008-00-01 rev 0 and 4010-8051-00-00 rev 0 through 4010-8052-00-00 rev 0.	ICM MFG	2
1050-1021-50S-00 INBOARD CYCLONE ASSEMBLY -	8' Dia. 1 each CW. Manufacture complete per ICM drawings 1050-1021-50s-00 rev 1, 1050-1022-50s-00 rev 1, 1050-1023-50s-00 rev. 1, 1050-1024-50s-00 rev 1, 1050-1025-50s-00 rev. 1, 1050-1026-50s-00 rev 0, 1050-1027-50s-00 rev. 0, 1050-1028-50s-00 rev 1, 1050-1029-50s-00 rev. 0	ICM MFG	1
1050-4057R SPRAY BALL GUIDE		ICM MFG	20
1080-A4001-100-00 RECYCLE AIR DUCT, 100M GALLON	plant. Dryer A	ICM MFG	1
1099-00156 ANTI - CEASE - cans brushable	ANTI - SEIZE - ANS BRUSHABLE LUBRICANT 1LB. KOPR-KOTE	ICM MFG	4
1110-4013 WET CAKE WALKING BOTTOM DRAG	Foot Section Miscellaneous Parts.	Assy	18
1110-4052C-100-02 DRYER EXHAUST DUCT C, D -		Assy	1
1110-4053B-100-02 DRYER EXHAUST DUCT C, D -	TRANSITION.	Assy	1
1110-4081-00-00 24 FRESH AIR INTAKE, STANDARD	for all plant sizes.	Assy	2
1110-4082A-00-01 DUCT SECTION - 36 X 5' 0		Assy	4
1110-4201-100-01 STACK INLET DUCT (100M PLANT)		Assy	3
1110-4201-50S-01 STACK INLET DUCT 1110-4201-50S	STACK INLET DUCT 1110-4201-50S-01 THRU 1110-4207-5 0S-01. 50MG steam plants only.	Assy	1
1110-8201-100-03 STACK INLET DUCT SUPPORT	Structure	Assy	1
1110-8401-00-01 DRYER EXHAUST DUCT SUPPORT		Assy	1
1110-8401-45-00 EXHAUST DUCT SUPPORT		Assy	1
1110-8411-45-00 EXHAUST DUCT SUPPORT		Assy	1
1202-001 Liquefaction Tank Drains		ICM MFG	2
1203-001 Beerwell Tank Drain		ICM MFG	1
1203-004 Fermenter Tank Drains		ICM MFG	7
1203-010 CO2 Vent Connections		ICM MFG	1
1204-015 Tank Drain Strainers		ICM MFG	1
1204-018 WHOLE STILLAGE TANK DRAIN	STRAINER	ICM MFG	1
1210-004 WHOLE STILLAGE TANK DRAIN		ICM MFG	1
1211-001 Cook Water, Methanator, Whole	Cook Water, Methanator, Whole Stillage and Thin Stillage Tank Drains	ICM MFG	2
1211-004 SYRUP TANK DRAIN		ICM MFG	1
1211-007 THIN STILLAGE TANK DRAIN		ICM MFG	1
1212-001 ANTI-FOAM DROP TUBE		ICM MFG	1
1302-005 CIP SCREEN TO SLURRY TANK	CHUTE, USE THIS ITEM IN PLACE OF 1302-004	ICM MFG	1
1306-001 Centrifuge Solids Discharge		ICM MFG	1
1309-001 COOLING TOWER PIT SCREEN		ICM MFG	1
1310-0003 HOSE HANGER (NO NOZZLE) IF USI	using for water, must bill nozzle separately. See item #4012-28000 LMS 10/7/04	ICM MFG	5
1311-121 Suction Bells (1 set of 4 pcs)		ICM MFG	1
1410-0001-10HP MOTOR SHAFT GUARD ASSEMBLY	10HP Assmebly Includes: 3540-48-01005 Nuts 3580-48-00101 Washers 6004-48-00011 Precut Allthread	ICM MFG	26
1410-0001-15HP MOTOR SHAFT GUARD ASSEMBLY	15HP Assmebly Includes: 3540-48-02005 Nuts 3580-48-00201 Washers 6004-18-00026 Precut Allthread	ICM MFG	3
1410-0001-30HP MOTOR SHAFT GUARD ASSEMBLY	30HP Assmebly Includes: 3540-48-02005 Nuts 3580-48-00201 Washers 6004-18-00026 Precut Allthread	ICM MFG	3
1410-0007-B415 415 Gearbox Shaft Guard		ICM MFG	26
1410-0009-B307 Gearbox Shaft Guard 307		ICM MFG	10
1410-0011-B407S 407 Shaft Mount Gearbox Shaft	407 Shaft Mount Gearbox Shaft Guard.	ICM MFG	19
1410-0013-B407 Gearbox Shaft Guard 407		ICM MFG	3
1410-0019A DRIVE SHAFT GUARD FOR SCREW	CONVEYOR WITH A 4 7/16" DIA. DRIVE SHAFT	ICM MFG	1
1410-1202 DROP BOX SAFETY GUARD		ICM MFG	50
1410-1251-00-01 MOISTURE METER SUPPORT -	REPLACES PART NUMBER 1410-1215-00-00	ICM MFG	1
1410-1255-00-00 MOISTURE METER INSTALL. BOX	INSTALLATION BOX	ICM MFG	15
1410-1302 9 CYCLONE SCREW DIS SCREEN		ICM MFG	48
1410-1303B-00-00 Speed Switch Guard-DISCHRG BOX	Speed Switch Guard-Cyclone Screw AIRLOCK DISCHARGE BOX	ICM MFG	2
1410-1402 12 RECYCLE SCREW BOX SCREEN		ICM MFG	25
1410-2204 18 DRYER CROSS SCREW (SCREEN)		ICM MFG	9
1410-2230A-50-00 18 DRYER CROSS SCREW MANUAL	SLIDE GATE ASSEMBLY	ICM MFG	1



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
1420-00005 SPOUTING - 8 OD 10 GA. 20' CS		ICM MFG	5
1420-0001 PRODUCT INCLINE DRAG TEMPLATE		ICM MFG	4
1420-5008A UHMW Plate 1/2 x 7 x 1'-10	UHMW Plate 1/2 x 7 x 1'-10 with 3 11/16 hole p er ICM drawing 1420-5008	ICM MFG	3
1420-5008B UHMW PLATE 1/2 x 6 x 1'-10	with 3 11/16 hole per ICM drawing 1420-5008	ICM MFG	2
1420-5009 UHMW PLATE- 1/2 X 6 X 1'-10	WITH 5 1/8" HOLE IN CENTER - PER DRAWING 1420-5009	ICM MFG	4
1420-5020 CHAIN CHANNELS 1/4 THICK 304	S.S. flat-top x 1-1/2" tall inside clearance to fit W 12 4 S.S. Chain w/ wing attachments. Channels have six (6) 7/16 holes. Ref. ICM drwg# E148-1420-5020	ICM MFG	45
1420-5022 CHAIN CHANNELS - 24 X 2 1/4	X 1/4" THICK #304 S.S. - FLAT-TOP X 1-1/2" TALL INSIDE CLEARANCE TO FIT W12 4 S.S. CHAIN W/ WING ATTACHMENT- CHANNELS HAVE FIVE (13) 7/16 HOLES - WITH HOLES FOR UHMW CHANNEL - REF. DRWG # 1420-5014-00-06	ICM MFG	46
1420-9001-00-00 FLANGE PLATE FOR 18 DRAG		ICM MFG	60
1420-9001-00-01 FLANGE PLATE FOR 16 DRAG		ICM MFG	70
1500-10003 CENTRIFUGE- FLOTTWEG TRICANTER	MODEL Z5E-4/441 WITH SIMP DRIVE SP 3.11 SOLID BOWL DECANter CENTRIFUGE FOR CONTINUOUS SEPARATION OF SOLIDS, OIL AND WATER FROM LIQUID SOLID MIXTURE. THE LIGHT PHASE LIQUID DISCHARGES WITHOUT PRESSURE BY FLOWING OVER AND INTERNAL PHASE SEPARATION DISC. THE HEAVY PHASE LIQUID DISCHARGES UNDER PRESSURE VIA A VARIABLE IMPELLER THE VARIABLE IMPELLER ALLOWS THE USER TO CHANGE THE POND DEPTH INSIDE THE MACHINE WHILE IT IS RUNNING. ALL PRODUCT TOUCHED ROTOR PARTS ARE MADE OF HIGH-GRADE STAN	Centrifuge	1
1510-1901-00-00 T.O. FAN LINKAGE - 73 AF 40	FAN	Assy	1
1510-3201-100-00 T.O. COMBUSTION AIR DUCT, 100M	100M gallon plant	Assy	2
1510-4201-100-01 T.O. DISCHARGE DUCT TRANSITION	100M gallon plants	Assy	2
1510-4501-00-00 RTO Discharge Duct manufacture	RTO Discharge Duct manufactured per ICM drawings 1 510-4501-00-00 rev 0, 1510-4502-00-00 rev 0, 1510- 4503-00-00 rev 0, 1510-4504-00-00 rev 0, 1510-4505 -00-00 rev 0, 1510-4506-00-00 rev 0, 1510-4507-00- 00 rev 0, 1510-4508-00-00 rev 0, 1510-4509-00-00 r ev 0	Assy	1
1510-4701-100-00 FGR ID FAN DUCT-DISCHARGE A/B	& C/D	Assy	2
1510-4703B-100-00 DISCHARGE TRANSITION FGR ID	FAN DUCT.	Assy	1
1510-8001-100-02 T.O. PRE-HEATER HOT SIDE -	DISCHARGE - TYPE II SUPPORT	Assy	4
1510-8401-100-00 T.O. BURNER SUPPORT		Assy	2
1510-8401-100-02 T.O. BOILER AND GAS TRAIN RH	Access and Support Structure manufactured complete per ICM drawings 1510-8401-100-02 through 1510-8405-100-02 all pages rev 0.	Assy	1
1510-8451-100-02 T.O. BOILER AND GAS TRAIN LH A	Access and Support Structure-manufactured complete per ICM drawings 1510-8451-100-02 through 1510-8455-100-02 all pages rev 0.	Assy	1
1510-8501-100-00 FGR Duct Support		Assy	2
1510-8511-100-00 FGR ID Fan Duct Support		Assy	2
1518-10000 AIR CYLINDER 8.3125 X 2.5	AIR CYLINDER 8.3125 2.5-CJ2MAUV38AC-8.3125 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA , 3/8 NPTF Ports, w/Viton Seals, 1 dia Piston Rod , 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 8.3125	Components	3
1518-10010 AIR CYLINDER 8.375 X 2.5	-CJ2MAUV38AC-8.375 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA, 3/8 NPTF Ports, w/Viton seals, 1 dia Piston Rod, 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 8.375	Components	6
1518-10013 AIR CYLINDER-11.75 X 2.5	CJ4MA2UV38AC11.75" 2 1/2" BORE W/CUSHION , HEAD RECT FLANGE, SERIES 2MA, 3/8 NOT F PORTS, W/VITON SEALS, 1" DIA PISTON ROD, 7/8 PISTON ROD THREAD STYLE (7/8-14THREAD), CUSHION CAPEND	Components	1
1518-10015 AIR CYLINDER 16.375 X 2.5	-CJ2MAUV38AC-16-375 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA, 3/8 NPTF Ports, w/Viton Seals, 1 dia Piston Rod, 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 16.375	Components	4
1518-10022 AIR CYLINDER 17.375 X 2.5	-CJ2MAUV38AC-17.375 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA, 3/8 NPTF Ports, w/Viton Seals, 1 dia Piston Rod, 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 17.375	Components	2
1518-10025 AIR CYLINDER 19.375 X 2.5	-CJ2MAUV38AC-19.375 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA, 3/8 NPTF Ports, w/Viton Seals, 1 dia Piston Rod, 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 19.375	Components	3
1518-10050 AIR CYLINDER 24.50 X 2.5	-CJ2MAUV38AC-24.5 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA, 3/8 NPTF Ports, w/Viton Seals, 1 dia Piston Rod, 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 24.5	Components	3
1518-10070 AIR CYLINDER 36.00 X 2.5	-CJ2MAUV38AC-36.0 2-1/2 Bore, w/cushion, Head Rect Flange, Series 2MA, 3/8 NPTF Ports, w/Viton Seals, 1 dia Piston Rod, 7/8 Piston Rod Thread style 34 (7/8-14thread), Cushion Cap End, Stroke 36.0	Components	4
1518-20000 ROD CLEVIS FEMALE FOR 1 PIN		Components	1
1520-10040 BURNERS 150000-21 18V	Ignition Plugs, Eclipse Combustion (new style)	Assy	2
1520-10041 BURNERS 150000-40 IGNITION	Plugs for 36 V BURNER	Assy	2
1520-10042 BURNERS 150000-42 IGNITION	Plugs for 32 V BURNER	Assy	2
1520-10045 BURNERS 150000-38 IGNITION	Plugs, for 22V, Eclipse Combustion	Assy	3
1520-10055 BURNERS 900286 18V IGNITION	Plugs for burner (old style)	Assy	1
1520-10065 BURNERS 112K205Q6 IGNITOR FOR	for FGR Air Heater - 37" OVERALL LENGTH	Assy	3
1520-10070 BURNERS 112K3M426 IGNITOR FOR	for FGR Air Heater - 48" OVERALL LENGTH	Assy	4
1520-50000 BURNERS IGNITER ELECTRODE ASSY	95MM btu includes:Fry-lyter #1501-237-07-47, Rod Length 5601-350-03-38L, Connector 1501-233-01	Assy	2
1520-50005 BURNERS IGNITER ELECTRODE ASSY	66MM btu includes:Fry-lyter #1501-237-07-45, Rod Length 5601-350-03-36L, Connector 1501-233-01	Assy	2
1520-50025 BURNER Igniter Spark plug Assy	BURNERS Igniter Spark plug Assy. Fry-lyter #1501-2 36-03	Assy	4
1520-50050 TRANSFORMER 3530-006-0	IGNITION	Assy	2
1520-60010 BURNERS BRACKET ASSEMBLY CCA	part# 1501-871-01	Assy	5
1520-60050 BURNERS CERAMIC INSULATOR CCA	part# 1501-031-02	Assy	4



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
1520-90020 Pilot Assy.	Pilot Assy. 1. 1500-100-01 Head Assy, fyr-lyter pilot, sst ea 2. 5803-021-07 pipe, feed 3. 1501-871-01 bracket assy, fyr-lyter pilot ea 4. 1501-256-01 mount assy, pilot ball & socket ea 5. 5601-350-03 round, electrode sst in 6. 1501-233-01 connector, sparkplug fyr-lyter pilot ea 7. 1501-236-03 sparkplug assy, fyr-lyter pilot ea 8. 4220-040-01 gasket, fyr-lyter mtg plate eat 9. 3560-120-49 union 1/2" female # unfsa ch ea 10. 3560-120-07 connector, 1/2" liq-tite 90 deg e	Assy	1
1520-90021 Cable Kit for Igniter on TO Bu	Cable Kit for Igniter on the TO Burner	Assy	1
1520-90034 BURNER - IGNITOR ROD - FOR	THERMAL OXIDIZER WITH NO FGR, 41 11/16" OVERALL LENGTH - VENDOR PART NUMBER: C0920-M-D-PT-01	Assy	1
1525-00185 CONVEYORS SCREW 16 x 3' 9	1/4" THICK SECTIONAL FLIGHTS, RIGHT HAND, HALF PITCH, MOUNTED ON 4" 304 S.S. CLAD PIPE, FLIGHT LUGS, CONT. WELD BOTH SIDES, BOLT PADS, BUSHED AND DRILLED FOR 3" 3-BOLT SHAFTS #304 S.S.	Assy	6
1525-00193 CONVEYORS SCREW 16 x 7' 9	1/4" FLIGHTS, RIGHT HAND, FULL PITCH, MOUNTED ON 4" 304 S.S. CLAD PIPE, FLIGHT LUGS, CONT. WELD BOTH SIDES, BOLT PADS, BUSHED AND DRILLED FOR 3" 3-BOLT SHAFTS #304 S.S.	Assy	1
1525-00265 Conveyors Screw 16 x 13' 9	Conveyors Screw 16 x 13' 9" 16SS616RH-FP-FL-CWBS-BP-3B - #304 S.S Full Pitch, 1/4 Sect. flights, RH, flight lugs, bolt pads, bushed and drilled for 3" 3-bolt shafts mounted on 4" C.S. pipe clad W/ #304 S.S. 10 ga.	Assy	1
1525-01707 Conveyor Screw - 18 x 3' 8	Conveyor Screw - 18" x 3' 8" #304 S.S. FULL PITCH. Flights: 1/4 Sectional, Right Hand, continuously welded. No Bare Pipe. Flight lugs & Bolts Pads 3-1 5/16 bushed, 3 Bolt Drilled 1-3/16 holes for 1-1/8 coupling bolts - each end. Center Tube Material: 5 sch 80 C.S., 304 S.S. Clad Pipe. 18SS816-RH-FP-FL-BP-CWBS	Assy	1
1525-01708 CONVEYORS SCREW 18 x 4'-8	1/4" THICK SECTIONAL FLIGHTS, RIGHT HAND, FULL PITCH, MOUNTED ON 4" SCH 80 C.S. #304 S.S. CLAD PIPE, FLIGHT LUGS, CONT. WELD BOTH SIDES, BOLT PADS, BUSHED AND DRILLED FOR 3-7/16 3-BOLT SHAFTS, #304 S.S.	Assy	4
1525-01710 CONVEYORS Screw:18 x 4' 8 3	CONVEYORS Screw:18 x 4' 8 304 S.S. FULL PITCH. Flights: 1/4 Sectional, Right Hand, continuously welded. No Bare Pipe. Flight lugs & Bolt Pads 3-15/16 bushed, 3 Bolt Drilled 1-3/16 holes for 1-1/8 coupling bolts- Each End. Center Tube Material: 5 Sch 80 CS, 304SS Clad Pipe	Assy	1
1525-50003 Conveyor Backstop-Drag or Conv	Conveyor Backstop-Drag or Conveyor Backstop Keep s any Drag or conveyor from running backwards	Assy	2
1525-60006 PINLOCK - WS-124 COTTER PINS	ONLY, SS.	Assy	35
1525-60007 PURGEX GREASE AIR OPERATED	System, 2 Feeds, (2) 1/2 Gallon Grease Reservoirs, Insulated Nema Enclosure w/Thermostat and Heater, 120/60 Timer and Solenoid.	Assy	2
1526-02500 TROUGH LID 16 x 4'	FLANGED 12 GA W/ BUTT STRAP #304 S.S.	Assy	1
1526-02560 TROUGH LID 18 x 3' 0	FLANGED 12 GA W/ BUTT STRAP #304 S.S.	Assy	3
1526-02571 TROUGH LID 16 x 6' 5	FLANGED 12 GA W/ BUTT SRTAP #304 S.S.	Assy	3
1526-02573 TROUGH LID 16 x 8' 5	FLANGED 12 GA W/ BUTT STRAP #304 S.S.	Assy	1
1526-02575 TROUGH LID 16 x 9', CTC1612-	TROUGH LID 16 x 9', #CTC1612-F, Std. Flanged, #304 S.S., 12 ga. with butt strap	Assy	2
1526-02648 TROUGH LID 18 x 8' 5	FLANGED 12 GA W/ BUTT STRAP #304 S.S.	Assy	1
1526-02751 TROUGH LID: 5'-0	FLANGED 12 GA W/ BUTT STRAP C.S.	Assy	1
1526-24075 TROUGH LID 24 x 8' 0	10 GA BOLTED W/ ANGLE FLANGED CONNECTIONS #304 S.S.	Assy	3
1526-24085 TROUGH LID 24 x 8' 6	10 GA BOLTED W/ ANGLE FLANGED CONNECTIONS #304 S.S.	Assy	9
1526-24110 TROUGH LID 24 x 8'	FLANGED 12 GA W/ BUTT STRAP #304 S.S.	Assy	1
1527-02900 TROUGH END 24 X 1/2 CEF -	for 4 7/16 shaft w/ foot #304 S.S. and pedestal CEF244716-BB	Assy	3
1528-02975 TROUGH 9 x 2' - 8	12 GA DOUBLE FORMED FLANGE #304 S.S.	Assy	3
1528-03000 TROUGH 9 x 10'	12 GA DOUBLE FORMED FLANGE #304 S.S.	Assy	1
1528-05000 TROUGH 16 x 4'	12 GA DOUBLE FORMED FLANGE - FLANGED ONE END ONLY #304 S.S.	Assy	3
1528-05055 TROUGH 16 X 8' -0	U shaped, double flanged design, 12 ga., #304 S.S.	Assy	1
1528-05056 TROUGH 16 x 8'-0	12 GA FLANGED FORMED FLANGE - FLANGE ONE END ONLY #304 S.S.	Assy	2
1528-05171 TROUGH 18 x 7'	10 GA DOUBLE FORMED FLANGE - FLANGE ONE END ONLY #304 S.S.	Assy	8
1528-05178 TROUGH 18 x 8'	10 GA DOUBLE FORMED FLANGE #304 S.S. VENDOR PART # - CTDF1810	Assy	1
1528-05182 TROUGH 18 x 9'-0	10 GA DOUBLE FORMED FLANGE #304 S.S.	Assy	2
1528-05545 TROUGH - 18 X 5'-0 U -SHAPED	DOUBLE FLANGED DESIGN. MATERIAL: 304 SS 10 GA., FLANGED BOTH ENDS.	Assy	1
1528-05560 TROUGH 18 x 12'-0	10 GA DOUBLE FORMED FLANGE - FLANGED ONE END ONLY C.S.	Assy	1
1528-06100 TROUGH 24 x 10', U Shaped, A	TROUGH 24 x 10', U Shaped, Angle flanged, seal w elded, #304 S.S.3/16,	Assy	1
1528-06130 U-TROUGH CTDF1810 DOUBLE	Formed Flanged, 6'-0 LG, 10 GA CS Flange on one end only.	Assy	1
1528-06139 U-TROUGH-Double Formed Flange	9'0" Lg, 12 Ga. 304 S.S.	Assy	1
1540-40104 DAMPER - 18 MANUAL AIR	DAMPER (THIS IS A STANDARD DAMPER - NOT DESIGNED SPECIFICALLY FOR ICM)	Assy	1
1545-20100 DOORS 8 CS Round Inspection D	DOORS 8 CS Round Inspection Door # LA1110	Assy	10
1545-90001 CAM LOCK ASSEMBLY S.S. FOR	20 S.S. Manway Door	Assy	6
1550-01207 NEW YORK BLOWER PRESSURE	BLOWER, 600 CFM 3500 RPM WITH BALDOR ELECTRICAL MOTOR, 7 1/2 HP, 208-230 / 460 VOLTS, 19-18 / 9 AMPS	Assy	2
1553-02050 DESICCANT AIR DRYER, HEAVY	Duty: 1/2 pipe, overall 13 1/2 x 4-15/16. Dryer only - does not contain dessicant 1132K13	Assy	3
1553-02059 FILTER-1 NPT INLET CONNECTION	MINI SIDELINE FILTER VESSEL, 25 GPM MAX FLOW, 300 PSI MAX PRESSURE @ 225 F, 1" INLET/OUTLET NPT, VITON O-RING, 1/2" NPT THREADED AND PLUGGED DRAIN CONNECTION IN BOTTOM OF HOUSING. PER DRAWING SBF10XSKD-S0304 REV A.	Assy	5
1555-01450V GEAR BOXES 4307J25C 0794389	DRIVE all dia. with VITON seals Same as 5307J25A	Assy	3
1555-02655 BREATHER VENT FOR ALL GEAR BOX		Assy	10
1555-02705R REFURBISHED - BROWNING	GEARBOX - 203 - ** REFURBISHED****	Assy	5
1555-02709R REFURBISHED - BROWNING	- 215 GEARBOX 25:1 Ratio -	Assy	5
1555-50056 BROWNING MOTOR BASE ADAPTER	407H MOTOR MOUNT FOR A 407 GEARBOX - REPLACES PART NUMBER: 1555-02710B ** EXISTING PARTS MAY NOT BE INTERCHANGEABLE WITH THE NEW PARTS DUE TO A BROWNING DESIGN CHANGE - PLEASE USE PART NUMBER: 1555-70034. LN	Assy	2
1555-50058 BROWNING - 407H/415H MOTOR	BASE PLATE 40-75HP FOR 407 & 415 GEAR BOX - REPLACES PART NUMBERS: 1555-02710A and 1555-02711B. ** EXISTING PARTS MAY NOT BE INTERCHANGEABLE WITH THE NEW PARTS DUE TO A BROWNING DESIGN CHANGE - PLEASE USE PART NUMBER: 1555-70030. LN	Assy	2



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
			Updated July 17, 2011
1555-50066 BROWNING - 215L MOTOR MOUNT	FOR A 215 LOW MOUNT - REPLACES PART NUMBER: 1555-02660A	Assy	1
1555-50073 BROWNING MOTOR BASE FOR A	407H and 415H MOTOR BASE PLATE FOR 15 - 30HP FOR 407 AND 415 GEAR BOX - REPLACES PART NUMBER: 1555-02712A	Assy	1
1555-50078 DRUM DRIVE TORQUE ARM BRACKET	REFER TO ICM PRINT #1010-1512-00-00	Assy	16
1555-60000 BREATHER 3/4 FOR BROWNING	407 & 415 GEARBOXES 3/4" BREATHER	Assy	1
1555-60001 BREATHER 1/2 FOR BROWNING	215 , 307, 315 GEARBOXES - 1/2" BREATHER	Assy	7
1555-60002 BREATHER 3/8 FOR BROWNING	115, 203 GEARBOXES - 3/8" BREATHER	Assy	3
1555-70005 GEARBOX-VIKING BSIZE REDUCER	P/N: 3-551-002-340-00 GEAR REDUCER WITH 3.40 TO 1 RATIO.	Assy	1
1555-70011 BROWNING ACCESSORY KIT	FOR REDUCED TOLERANCE TORQUE ARM	Assy	1
1560-10001 16 GRAPHITE APPLICATOR		Assy	3
1565-80000 HEAT EXCHANGERS 35145K75	FIN-TUBE LIQUID TO AIR WITH 3/8 PLAIN ENDS WITH FABM COPPER TUBE, AND 3 FT LONG POWER CORD. 6996 BTU/HR At 2 GPM CAP	Assy	1
1610-4001-100-00 BAG HOUSE EXHAUST DUCTING 100M	PLANT	ICM MFG	1
1610-5001-100-03 BAG HOUSE ID FAN DISCHARGE	Duct	ICM MFG	1
1610-8101-100-00 Bag House ID Discharge Ducting	SUPPORT	ICM MFG	2
1610-8211-100-00 BAG HOUSE EXHAUST DUCT SUPPORT		ICM MFG	1
2000-00030 RINGS ROLLED, 6 X 3.5 X 5/16	x 40° angle, C.S. 7'-3 7/8 Outside Radius. Toe In. Ordered as 1 unit. Shipped in 2 ea 20' Sections. Per ICM print #1110-8013	Components	2
2000-00050 RINGS ROLLED, 2 1/2 X 2 1/2	x 1/4 x 40° angle, C.S. 7'-3 7/8 Outside Radius. Toe Out. Ordered as 1 unit. Shipped in 2 ea 20' Sections. Per ICM print #1110-8013	Components	4
2009-00125 BEARINGS 2-7/16 SHAFT	Brute #QMF13J207SN w/Viton seal	Components	4
2009-00130 BEARINGS SEAL URETHANE 2-7/16	Blue Brute 2-7/16 bearing	Components	3
2009-00310 BEARINGS HANGER 3 7/16 CHB220	BEARINGS HANGER 3 7/16 CHB2207MBR-O Bronze Oil Im pregated	Components	9
2009-00525 BEARINGS END 3-15/16 SHAFT	bore, 4-bolt End Flange, P#023116 Dodge E series	Components	2
2009-02810 BEARINGS HANGER ASSY. 18	style 226, 316 S.S., quick change for 3 shaft QCCH182263	Components	1
2009-02813 BEARINGS HANGER LOWER ASSY.	only (2pc) 18 auger 3 7/16 shaft #304 S.S. Style 226	Components	1
2009-02824 BEARINGS HANGER ASSY. 24	style 226, 316 S.S., quick change for 3-7/16 shaft QCCH242263716	Components	3
2009-40031 BALL BEARING - PLAIN DOUBLE	SEAKED FOR 3/4" SHAFT DIA, 1 3/4" OD	Components	1
2012-00358 BELT 2225 APACHE 35' X 8		Components	8
2012-00610 BELT 3VX500 V-BELT		Components	2
2012-00702 BELT 3 VX630 V-BELT		Components	8
2012-00710 BELT 3VX750 V-BELT		Components	2
2012-00750 BELT 3VX850 V-BELT		Components	5
2012-01175 BELT 5VX1400 V-BELT		Components	10
2012-01300 BELT 5VX1600 V-BELT		Components	14
2012-01850 BELT 5VX1320 V-BELT		Components	4
2012-01951 BELT A92		Components	10
2012-01988 BELT AX88 V-BELT		Components	2
2012-02105 BELTS B99 V-BELT		Components	2
2012-02505 BELT BX70 V-BELT		Components	2
2012-02518 BELT BX83 V-BELT		Components	7
2012-02520 BELT BX85 V-BELT		Components	7
2012-02527 BELT BX92 V-BELT		Components	10
2012-02540 BELT BX108 V-BELT		Components	10
2012-30010 BELT 8VX1250 I.D. FAN BELT		Components	10
2012-30050 BELT 8VX1500 I.D. FAN BELT		Components	5
2012-30100 BELT 8VX1600 I.D. FAN BELT		Components	5
2012-40056 STEAM DRUM KEVLAR DISCHARGE	SEAL BELT WITH LOOPS - 11' - 9" X 60' PER ICM DRAWING # 1010-2716-00-00	Components	9
2012-40058 STEAM DRUM INTAKE SEAL DRAW	BAND STRAP WITH SPRINGS, BELT PLATES, CHAINS, AND "S" HOOKS - PER ICM DRAWING # 1010-2714-00-00	Components	1
2012-40059 STEAM DRUM DISCHARGE SEAL DRAW	BAND STRAP WITH SPRINGS, BELT PLATES, CHAINS, AND "S" HOOKS - PER ICM DRAWING # 1010-2717-00-00	Components	10
2012-40067 BELT - 20 X 24 FLAT BELTING	FLAPS CUT AND PUNCHED (5 HOLES), 3-PLY POLYN SMOOTH COVER BOTH SIDES.	Components	124
2021-00800 BUSHING BU5608J-6.500 0769739		Components	8
2021-00925 BUSHING E 2 1/4 W/ 1/2 X	x 1/2 KEY	Components	2
2021-01100 BUSHING F3 3/8 QD W/ SHALLOW	KEY	Components	5
2021-01250 BUSHING JA 5/8 W/KEY		Components	2
2021-01300 BUSHING JA 7/8		Components	2
2021-01650 BUSHING E 2 1/2 QD W/ 5/8	keyway	Components	7
2021-01700 BUSHING SD 1 5/8 with 3/8 x	BUSHING SD 1 5/8 with 3/8 x 3/8 key	Components	1
2021-01800 BUSHING SD 1 7/8		Components	2
2021-02700 BUSHING SDS 1 1/8 W/ 1/4	x 1/4 x 1 1/4	Components	7
2021-03050 BUSHING SF 1-5/8 W/ 3/8	3/8 key	Components	1
2021-03120 BUSHING SF 2 1/4 WITH 1/2 X	1/2 Key	Components	6
2021-03150 BUSHING SF 2 1/2 WITH KEY		Components	8
2021-03300 BUSHING SH 1 3/8		Components	10
2021-04025 BUSHING - SK 2 W/KEY		Components	9
2021-04206 BROWNING - GEAR BOX 315	TORQUE TAPER PLUS BUSHING FOR A 3 15/16" SHAFT W STABILIZER RING BROWNING PART NUMBER: 315TBP315 REPLACES PART NUMBER: 2021-00765	Components	3



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
2021-04207 BROWNING GEARBOX - 407 TORQUE	Taper Plus Bushing for a 4 7/16" shaft. Browning Part #: 407TBP407 Replaces: 2021-00753	Components	4
2021-04208 BROWNING GEARBOX - 415 TORQUE	Taper Plus Bushing for a 3 15/16" shaft. Browning Part#: 415TBP315 Replaces: 2021-00769	Components	2
2021-04210 BROWNING BUSHING TORQUE TAPER	(for Browning Gearbox -307) for a 3 7/16" shaft. Browning Part#: 307TBP307 Replaces: 2021-00740	Components	3
2021-04250 BUSHING SK 2 3/16 QD		Components	1
2021-10063 BUSHING - BROWNING 407 TORQUE	TAPER PLUS BUSHING FOR A 4 7/16" SHAFT W/ STABILIZER RING BROWNING PART NUMBER: 407TBP407B	Components	1
2021-10078 BUSHING - BROWNING 315TBP300		Components	1
2024-00080 CHAIN 5/16 SPRING HOOK	FASTENAL PART # 0500500	Components	16
2024-02000 CHAIN W124 S.S. 316 WELDED	Steel Conveyor chain with 1/2x1/2x3/16 S.S. wing attachments (drilled/punched with 7/16 hole) every 4th link per sketch	Components	553
20276-SW-2 2 SS Swing check Sharpe 200	2 SS Swing check Sharpe 200# Socket Weld	Components	3
2030-00100 COLLAR SC 1 DODGE SHAFT	(zinc plated)	Components	3
2030-30006 COLLAR - 1 1/8 SHAFT COLLAR		Components	1
2032-00661 FABREEKA PAD, 6X6X1 W/(1) 1	1-7/8 hole centered REF ICM print #1110-1014 PC. MK. F **NOTE: CHECK INVENTORY BEFORE ORDERING**	Components	65
2032-11401 FABREEKA PAD, 11'-4 OD, 9'-8	ID x1 w/(28) 2 holes REF ICM print# C111-1110-1014 PC. MK. C. 1 pad consists of 14 sections **NOTE: CHECK INVENTORY BEFORE ORDERING**	Components	3
2032-86001 FABREEKA PAD, 8'-6 OD, 6'-7	ID x1 w/(28) 2-1/2 holes REF ICM print# 1110-1014 PC. MK. C. 1 pad consists of 14 sections **NOTE: CHECK INVENTORY BEFORE ORDERING**	Components	3
2032-86003 FABREEKA PAD - 5'-9 3/4 OD,	FABREEKA PAD - 5'-9 3/4" OD, 3' - 10 3/4" ID x 1" w/20 Holes. 5 pieces = 1 set **NOTE: CHECK INVENTORY BEFORE ORDERING**	Components	4
2036-00025 GASKET - 1/2 RING	GASKET 1/2" RING, NON-ASBESTOS 1/8 - MATERIAL GARLOCK 2400, FLANGE CLASS 150#	Components	76
2036-00450 GASKET 10 Neoprene, full face	GASKET 10" NEOPRENE, FULL FACE 150# 1/8" THICK	Components	29
2036-00895 GASKET 2 RING, NON ASBESTOS	1/8TK GUYLON 3500 150#	Components	39
2036-00902 GASKET 4, CHLOR. SPIRAL 1/8	300# (FLEXATALIC) SPIRAL WOUND WR316 L/APX2.	Components	20
2036-00915 GASKET 3/4 RING NON-ASBESTOS	1/8" - MATERIAL - GARLOCK 2400 - FLANGE CLASS 150#	Components	29
2036-00917 GASKET 3/4 CHLOR.SPIRAL 1/8	150# (FLEXATALIC) SPIRAL WOUND WR316 L/APX2	Components	66
2036-00927 GASKET 8 RING, NON-ASBESTOS	1/8TK 300# GARLOCK 2400	Components	11
2036-00943 GASKET 24 CHLOR. SPIRAL 1/8	300# (FLEXATALIC) SPIRAL WOUND WR316 L/APX2	Components	1
2036-00950 GASKET 2 NEOPRENE FULL FACE	GASKET 2" NEOPRENE FULL FACE, 1/8 150#	Components	74
2036-00951 GASKET - 2.5 FLANGE, RING	Garlock.	Components	2
2036-01150 GASKET 3 Neoprene, Full face	GASKET 3" NEOPRENE, FULL FACE 1/8 150#	Components	2
2036-01678 GASKET - 5 150 RING - NON	Asbestos 1/8"	Components	6
2036-02112 GASKET 12 Neoprene, full face	GASKET 12" NEOPRENE, FULL FACE 1/8 150#	Components	19
2036-02150 GASKET 8 Neoprene, full face		Components	17
2036-03006 RUPTURE DISC - 3 DIA. 14 PSIG	URA - UNIVERSAL REVERSE ACTING RUPTURE DISC, SIZE RATING 3" DIAMETER, BURST PRESSURE 14 PSIG 175 F TEMPERATURE, RELIEF RATE 15,000, FLANGE RATING 150#	Components	6
2036-03007 RUPTURE DISC SENSOR BA	BA SENSOR F/URA RUPTURE DISC, 3" 150# ANSI 316SS CIRCUIT (NON-ASBESTOS GASKET).	Components	1
2036-03106 RUPTURE DISK - 2 ZOOK URA-L	140 PSI - 250 DEGREES F - USED ON 40/50 TRICANTER SKIDS	Components	1
2036-04001 GASKET 30-40 MMGPY 29 5/8 O.D	X 27 5/8 I.D. #3500, 1/8 thk., Garlock (For Seive Vaporizer)	Components	4
2036-04002 GASKET 40 MMGPY 29 5/8 O.D. X	28 1/8 I.D. #3500, 1/8 thk., Garlock (For Seive Vaporizer)	Components	2
2036-04004 GASKET 100 MMGPY 47 1/2 O.D.	X 45 7/8 I.D. #3500, 1/8 thk., Garlock (For Seive Vaporizer)	Components	1
2036-04005 GASKET: 18 DIA. 1/8 THK.	garlock #3500 solid ring disc with no center pin hole (withstands 500 degrees)	Components	3
2036-34000 GASKET - 24 MANWAY 3/4 DIA.	O-RING STYLE PROFILE, VULCANIZED ENDLESS TO 24. 7/8" INSIDE DIAMETER, F.D.A. RED SILICON MATERIAL	Components	5
2036-90106 Non - Asbestos Full Face Gaske	Non - Asbestos Full Face Gasket 11.65 IN ID x 14.85 IN OD x 1/16 IN thick. (Drawing ID: A48611) (Part ID: 16622510) CSS816-1165-1	Components	10
2036-90110 GASKET - .950 O.D. X .700 I.D.	x .100 thick (Nylon)	Components	50
2036-90118 Gasket (Steamtube) SJ1208 Gask	Gasket (Steamtube) SJ1208 Gasket Non-ASB-17.75 ID x 18.88 OD - Drawing ID# A24789 - Item# 8 ON C2592	Components	2
2036-90119 Gasket-Round Grafoil 4 11/16 x	5 3/4 x 1/8	Components	396
2036-90143 GASKET - 8 150 1/8	THICK GARLOCK ST-706 RING	Components	8
2036-90145 GASKET - 6 150 1/8 GARLOCK	ST - 706 RING GASKET	Components	4
2036-90147 GASKET - GARLOCK STYLE	(INORGANIC FIBER GASKET) IFG-5500, 150# PRESSURE RATING, FULL FACE GASKET 1/8" THICK AND 10" IN DIAMETER WITH BOLT HOLES	Components	1
2036-90148 GASKET - GARLOCK STYLE	(INORGANIC FIBER GASKET) IFG-5500, 150# PRESSURE RATING, FULL FACE GASKET 1/8" THICK AND 16" IN DIAMETER WITH BOLT HOLES	Components	2
2036-90746 RUPTURE DISC - 1 1/2 ZOOK	URA-L, 150# FLG, 316SS SHEAR RING & DISC, LINER PTFE, 80PSIG @ 210F	Components	3
2036-90747 RUPTURE DISC HOLDER -	1 1/2" ZOOK URA-1, 150# FLG, 316SS	Components	2
2040-11002 GLUE SWABS - 5020 WELDON GLUE	swabs	ICM MFG	2
2051-00010 SEALS - 4' X 1/4 X 20' 40	durometer Red Silicone Rubber Sheet (by the sq. ft.) Should come in 20 Foot Rolls	Components	69
2051-00011 SEALS MIXER GASKET RED	Silicone Rubber per ICM drawing #D16.1307-557-09	Components	12
2051-00070 SEALS 2 Pipe Boot/Roof Seal,	SEALS 2 Pipe Boot/Roof Seal, Rubber	Components	22
2051-00075 SEALS 3 Pipe Boot/Roof Seal,	SEALS 3 Pipe Boot/Roof Seal, Rubber MFG #12946~ ;~	Components	18
2051-02000 SEAL 4 7/16 flanged gland	#304 S.S. with teflon packing	Components	2
2051-02527 SEAL MAGTECTA IIP STYLE LXN	LXN Seal 1.500" O.D. X 2.503" I.D.	Components	4
2051-02528 SEAL - MAGTECTA IIP STYLE LXN	Seal 3.375" O.D. X 4.374" I.D.	Components	2
2051-02530 SEAL - MAGTECTA IIP STYLE LXN	Seal 3.000" O.D. X 4.001" I.D.	Components	2
2051-02531 SEAL - MAGTECTA IIP STYLE TXN	1.375" O.D. X 2.125" I.D.	Components	2
2051-02532 SEAL - MAGTECTA STYLE LG SEAL	6.500" O.D. X FMG I.D.	Components	2
2051-02533 SEAL - MAGTECTA IIP STYLE TXN	Seal 2.500" O.D. X FMG I.D.	Components	2
2051-02534 SEAL - MAGTECTA STYLE LG SEAL	6.000" O.D. X FMG I.D.	Components	2
2051-02536 SEAL - MAGTECTA IIP STYLE TXN	Seal 2.500" O.D. X FMG I.D.	Components	2



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			Updated July 17, 2011
2051-02537 SEAL - MAGTECTA IIP STYLE LXN	Seal 5.250" O.D. X 6.375" I.D.	Components	2
2051-02538 SEAL - MAGTECTA IIP STYLE VLXN	Seal 2.375" O.D. X 3.623" I.D.	Components	2
2051-02539 SEAL - MAGTECTA IIP STYLE LXN	Seal 4.625" O.D. X 5.625" I.D.	Components	2
2051-02540 SEAL - MAGTECTA IIP STYLE TXN	Seal 2.125" O.D. X 2.875" I.D.	Components	2
2051-02541 SEAL - MAGTECTA IIP STYLE LXN	Seal 4.250" O.D. X 5.252" I.D.	Components	2
2051-02545 Seal - Chicago Rawhide Lip Typ	Seal - Chicago Rawhide Lip Type Small Dia. Seal, 5.00" Shaft, 7.50" Seal O.D. with .50" width, Nitrile Seal Material Single Lip Design.	Components	4
2051-10001 SEALANT - Thread sealant with	SEALANT - Thread sealant with Teflon 1/4 pt. brush can. (24 per case)	Components	120
2051-10004 Seal Ring (Steamtube) SNR1206	Seal Ring (Steamtube) SNR1206 Seal Ring 14.53 in OD x 11.895 OD - Drawing ID# A24654 Item# 6 ON C2592	Components	2
2051-10006 O-Ring (Steamtube) CSS825-283-	O-Ring (Steamtube) CSS825-283-E O-Ring 16.955 ID x 17.233 OD - Drawing# A24757 Item# 16D ON C2592	Components	2
2051-10007 O-Ring (Steamtube) CSS825-380	O-Ring (Steamtube) CSS825-380-TE20 Ring - 11.475 ID x 11.895 OD - Drawing ID# A24770 Item# 3A ON C2592	Components	2
2051-40045 SEAL RING - 1 1/2 GASKET,	S.S. AND RUBBER, FOR LIQUID TIGHT CONNECTOR	Components	10
2051-40061 SEAL - FLOWSERVE B/M : 409945	TYPE ISC1PX, CODE ER2EFVV SINGLE CARTRIDGE MECHANICAL SEAL FOR USE WITH THE VIKING RL40167 AND RL40257 PUMP UNITS	Components	12
2051-40065 SEAL - ESKRIDGE VITON SEAL KIT		Components	2
2051-40124 COUPLING KIT FOR CR 64	GRUNDFOS BOILER FEED WATER PUMP.	Components	3
2051-40132 GEARBOX - BROWNING 415 GEARBOX	INPUT SEAL.	Components	1
2051-40133 GEARBOX - BROWNING 415 GEARBOX	OUTPUT SEAL - REQUIRES 2. Vendor part number: 67515.	Components	1
2054-20005 PACKING GARLOCK - 8922 5/8	50 lb. Spool 230 foot (1 lb. Approx. 4.6 Ft)	Components	10
2057-1-00150 INSULATION UNIFRAX U-PINS	p/n 779956599	Components	146
2057-1-081206 INSULATION 8TX12LX6.5W WL-2-2	10 Weld-Loc-2-2 200 Module 10PCF Part #780521000	Components	40
2057-1-081207 INSULATION 8TX12LX7.75W	WL-2-22 10 Weld-Loc-2-2200 Module 10PCF Part #779958850	Components	123
2057-60038 INSULATION - 8W X 25'L X 1 T	8 INCH WIDTH, 25 FOOT LONG, 1 INCH THICK DURABLANKET #8 DENSITY (1) = 25' ROLL (16.6675 SQ. FEE PER ROLL) (MIN. 300 ROLLS) = 5,000 SQ. FT.	Components	36
2066-30526 SHAFTS TAIL 2 7/16 X 36	#316 SS. Two keyways for 5/8 key as shown on ICM drawing 1420-5004-00-01. LAN	Components	4
2066-40025 SHAFTS 3 DRIVE X 22-3/4	3-bolt 316 S.S. Stepped to 2 15/16 on keyway end	Components	2
2066-50124 SHAFTS END, 3 7/16 X 16	3-bolt drilled, 29/32 holes, TGP #316 S.S. per ICM print 1410-2306 SIGG	Components	1
2066-50226 SHAFTS DRIVE 3 7/16 X 52	OAL, #316 S.S. 48 @ 3 7/16, 4 @ 3. End keyway @ .75, mid-shaft keyways @ .875 as shown on ICM drawing E148-1420-5004 LAN SIGG	Components	2
2066-70410 SHAFTS 4-7/16 X 41 DRIVE,	3-bolt drilled 1 5/16 holes, 316 S.S. with standard keyway x 10. Machined per ICM drawing # E163-1070-4006. No thrust plate kit - for shaft mount gear box 4407JR25C (Note: This shaft is manufactured in run quantity of 6) SIGG	Components	1
2066-70425 3 DRIVE SHAFT KIT - BROWNING	203 Gearbox	Components	1
2066-70428 BROWNING 3 7/16 CS DRIVE	Shaft for a Browning 307 Gearbox	Components	2
2066-90113 BROWNING 3 15/16 SS 3 HOLE	DRIVE SHAFT FOR A 315 GEAR BOX - REPLACES PART NUMBER: 1555-50032.	Components	2
2066-90115 RETAINING RING - FOR A 3	SHAFT - EXTERNAL RETAINING RING, CARBON STEEL, BLACK PHOSPHATE, FOR SHAFT DIA. 3 IN, FREE ID 2.775 IN, THICKNESS 0.093 IN, THICKNESS TOLERANCE +/-0.003 IN, FITS GROOVE DIA 2.838 IN, GROOVE DIA TOLERANCE +/-0.006 IN, FITS GROOVE WIDTH 0.103 IN GROOVE WIDTH TOLERANCE +0.005 IN, FITS GROOVE DEPTH 0.081 IN, CLEARANCE DIA EXPANDED 3.690 IN, CLEARANCE DIA RELEASED 3.530 IN, HOLE DIA 0.125 MEETS ASME, ROCKWELL HARDNESS RC47-52, TENSILE STRENGTH 150,000 PSI, PACKAGED 5	Components	8
2066-901160 KVALVE GATE SHAFT 2'-7 3/4	-304 S.S. MANUFACTURE COMPLETE PER ICM PRINT #4122-1034-00-00 PC. MAKE C. SIGG	Components	2
2066-90118 DAMPER SHAFT 2'-11 3/8	1 1/2 304SS ROUND BAR. THIS ITEM REPLACES 1110-0004A. SIGG	Components	5
2066-90123 DAMPER SHAFT 5'-1 3/8 -	1 1/2" ROUND BAR 304 S.S. SIGG	Components	1
2066-90127 SHAFT - DRIVE 3 7/16 X 57 1/4	57 1/4" OAL #316 S.S. SIGG	Components	2
2066-90134 SHAFT 3 7/16 X 36 1/8	TAILSHAFT FOR 18 X 20 G MODEL EN- MASSES THIS ITEM NUMBER REPLACES 6056-26-03010. SIGG	Components	1
2066-90136 FAN SHAFT - 784 I.D. -	4 7/16 X 6'-2, 316L S.S. THIS PART REPLACED PART NUMBER 1080-1009A SIGG	Components	1
2066-90138 HYDRAULIC DRIVE SHAFT FOR	11' -9" X 60' STEAM TUBE DRYER SIGG	Components	12
2069-01300 SHEAVE 2/3V3.0 JA		Components	1
2069-01450 SHEAVE 2/3V4.5 SH		Components	1
2069-01599 SHEAVE 2/3V6.0		Components	4
2069-01650 SHEAVE 2/5V10.3 SK		Components	1
2069-02150 SHEAVE 2/5V6.70 SK		Components	1
2069-02200 SHEAVE 2/5V8.0 SK 2 GROOVE		Components	2
2069-02350 SHEAVE 2/5V9.25 SK 2 GROOVE		Components	1
2069-02420 SHEAVE 2/5V10.9 SK TWO GROOVE	Sheaves Part No. 455256.	Components	3
2069-03675 SHEAVE 3/5V10.3 SF		Components	1
2069-03750 SHEAVE 3/5V4.9 SDS 3 GROOVE		Components	2
2069-03901 SHEAVE 3/3 V8.0 SK 3 GROOVE		Components	1
2069-04075 SHEAVE 3/5V11.3 SF 3 GROOVE		Components	3
2069-04125 SHEAVE 3/5V13.2E 3 GROOVE		Components	2
2069-04140 SHEAVE 3/5V 21.20 E 3 GROOVE	QD STYLE SHEAVE	Components	1
2069-04145 SHEAVE 4BV6.2		Components	3
2069-04148 SHEAVE 4B5V8.0		Components	1
2072-20500 RETAINING RING FOR 3 SHAFT	ZINC YELLOW PLATED CS. FITS GROOVE DIA 2.838", FREE ID 2.775", PKG OF 5	Components	34
2075-00975 SPROCKETS SPLIT FULLY	WH124 CHAIN 8 TOOTH BORED TO 2 7/16" WITH KEYWAY AND SET SCREWS	Components	6
2075-20062 SPROCKETS - 120F32 QD DRIVEN,	32 TOOTH, FOR 120 CHAIN	Components	1
2078-00104 TANK HEAD - 46 ID X 3/16	THICK, #304 SS HRAP SA-240, 2:1 ELLIPTICAL W/ 1 1/2" STRAIGHT FLANGE W/CENTER HOLE	Components	1



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
			Updated July 17, 2011
2084-0005 HAND TRUCK -	STEEL 22"X46 1/2 22EXE46E1/2 Pneumatic #2655T38	Components	5
2084-10102 INTAKE TIRE - 11' X 9 X 80'	STEAM TUBE DRYER 160 OD; 146 ID; 19 LENGTH, FINISHING SIZES. AISI 4140 STEEL QUENCH AND TEMPER TO 277/321 BRINELL. BLUE PRINT NUMBER 1010-7007-00-01 REV. 1 APPROXIMATE SHIPPING SIZES 161.5 OD; 144.5 ID; 20.5 LENGTH FORGED	Components	1
2084-10103 DISCHARGE TIRE - 11' X 9 X 80'	STEAM TUBE DRYER 160 OD; 146 ID; 21.5 LENGTH, FINISHING SIZES. AISI 4140 STEEL QUENCH AND TEMPER TO 277/321 BRINELL. BLUE PRINT NUMBER 1010-7006-00-01 REV. 1 APPROXIMATE SHIPPING SIZES 161.5 OD; 144.5 ID; 23 LENGTH FORGED	Components	1
2099-00013 METHANATOR STORAGE BIN - 65	POUND BLITZ STORAGE BIN - HOLDS NUTRIENTS	Components	11
2099-00713 GEAR BOX SIGHT GLASS FOR 1	NPT # A2890-5	Components	25
2099-00714 GEAR BOX SIGHT GLASS FOR	1 1/4" NPT # A2890-6	Components	45
2099-02000 TRIM Flexible Vinyl, Single Li	TRIM Flexible Vinyl, Single Lip, 1/16-11/64 open ing, height 33/64 Textured Black (inventory by t he foot) #8451A21. THESE COME IN ROLLS OF 400 L INEAR FEET.	Components	278
2099-02040 ARBOR - GRINDING DISCS	9" x 1/4" x 5/8" SOLD BY EACH - (PACKAGED IN 10 EACH PER BOX)	Components	20
2099-02043 Super - B Johnson Joint 10 in.	Super - B Johnson Joint 10 in. STL. M 8 300 LB. Flanged P 6 300 LB Flanged S 5. (Drawing ID: C2592) (Part ID: 16N02850) 1200ELSNFRZQ-STL	Components	5
2099-02073 SPRING EXTENSION - 1/4 OD X	2", 4.7" MAX LENGTH, ZINC ASTM B633 (ORDERED PER 10)	Components	8
2505-00008 BIO-GAS SHIPPING CRATE -	96 X 24 X 15	ICM MFG	1
2525-00001 BLADES - PORTA BAND BLADES	3 per box	Consumable	62
2540-00004 HOLE PUNCH - 3 IN 1 PUNCH -	SLOT/PUNCH/HOLE PUNCH CORNER ROUNDER - SLOT PUNCH FOR STANDARD NAME BADGES AND ID CARDS (9/16" X 1/8") - PUNCHES 1/4" HOLE THROUGH 18 SHEETS OF 20 LD. PAPER - CENTER GUIDE ADJUSTS TO 1/8" INCREMENTS FOR ACCURATE HOLE CENTERING - ALLOY PUNCH HEADS - SIZE: 5" W X 6" D X 4" H -	Consumable	1
2545-00011 PAINT - COATING - CERAMIC	COVER CC SYSTEMS 100, RADIANT HEAT BARRIER COATING WITH INSULATING PROPERTIES	Consumable	45
2575-00004 SWIRL RING - MILLER PART	# 212734	Consumable	5
2575-00006 WELDING ROD - UTP 308L-1/8		Consumable	10
2575-00007 WELDING ROD - UTP 309L-3/32		Consumable	30
2575-00008 WELDING ROD - UTP 309L- 1/8		Consumable	20
2585-00070 LUBRICANT-MOBIL HYDRAULIC OIL	DTE 18M IN 5 GALLON BUCKETS	Consumable	6
3006-02510 BLOCKS DN-EB35 TERMINAL END	BLOCKS #DN-EB35 TERMINAL END ANCHOR (PKG OF 50) THIS ITEM REPLACES 3002-00100. ORDER MIN. OF 50	Elec. Component	15
3006-02520 BLOCKS DN-EC1210 TERMINAL END	BARRIER	Elec. Component	227
3006-02535 BLOCKS-FUSABLE TERMINAL A/B	(PK OF 10)	Elec. Component	15
3006-02925 BLOCKS - UNPRINTED TAGS 5MM	5MM MARKING TAGS FOR DN-TL14 (500 PCS=1BOX).	Elec. Component	450
3006-03000 BLOCKS - 3 CIRCUIT TERMINAL	300V, 10A, 26-14AWG	Elec. Component	5
3006-03050 BLOCKS-END COVER FOR DN-YL14		Elec. Component	13
3006-03100 BLOCKS - END COVER DN-DN10	FOR PART NO. 3006-02650	Elec. Component	72
3010-10500 WIRE ROPE - 3/8 X 6 X 19 IWRC	Wire Rope	Elec. Component	100
3010-10501 WIRE ROPE CLIP & THIMBLE KIT -	3/8"	Elec. Component	11
3010-10502 FORGED GALVANIZED TURNBUCKLES-	(Jaw & Jaw 5/8" - 11 UNC x 6" take-Up)	Elec. Component	6
3010-1505 SIGHT GLASS 2 / FPT ECLIPSE	PART #120054 MALLEABLE IRON	Elec. Component	3
3010-15050 SIGHT GLASS 3 OBSERVATION	Port w/ quartz glass, 13 C.S. pipe w/ 1-1/2 threaded end and 1/2 thread-o-let air inlet	Elec. Component	11
3010-90051 CABLE - 9402 BELDEN SHEILDDED	VENDOR PART NUMBER: 9402	Elec. Component	3,000
3014-64900 CLAMPS HOSE 4 1/8 TO 7 CLAMP	ID Range Worm-Drive Hose Clamp W/Zinc-Pltd Stl Screw, 9/16 Band Width 5415K74	Elec. Component	88
3014-80029 CLAMPS 1/2 TUBING CUSHION	CLAMP	Elec. Component	425
3016-07600 CONDUIT 3/4 FITTING FOR TYPE	C TEE #C27KIL	Elec. Component	5
3016-07700 CONDUIT 3/4 CAST COVER FORM 7	FM7 270F 270C CAST COVER W/WEDGELOCK FASTENER - VENDOR PART NUMBER: 270	Elec. Component	21
3016-07800 CONDUIT - 1 CAST COVER FORM 7	FM7 370F 370C CAST COVER W/ WEDGELOCK FASTENER - VENDOR PART NUMBER: 370	Elec. Component	110
3016-30770 CONDUIT - 3/4 COVER STEEL FM8	FORM 8 STEEL COVER FM8 280 COVER ONLY VENDOR PART NUMBER: 280	Elec. Component	27
3016-30780 CONDUIT - 3/4 GASKET ONLY FM8	GASKET NEOPRENE GASK852 FORM 8 FOR 3/4" CONDULET & COVER - VENDOR PART NUMBER: GASK852	Elec. Component	27
3016-90201 CONDUIT -	1-IN-UA/LA-GRAY LIQUID TIGHT FLEXIBLE	Elec. Component	400
3016-90207 CONDUIT - 2 IMC - THESE COME	IN 10 FOOT STICKS	Elec. Component	3
3016-90208 CONDUIT - ELBOW SHORT RADIUS	90 DEGREE 2" IMC THREADED BOTH ENDS	Elec. Component	4
3018-30570 CONNECTORS - 3/4 SEALING RING	FOR 3/4" LIQUID TIGHT CONNECTOR	Elec. Component	14
3018-34123 CONNECTOR - SSI SS UNIV	CONNECTOR HEAD	Elec. Component	2
3032-05750 FUSES 4XH38 .5 Amp Glass 1 1/	FUSES #4XH38 .5 Amp Glass 1 1/4 x 1/4	Elec. Component	57
3034-00125 GANG BOX 2-GANG EXT. W/GASKET		Elec. Component	4
3034-00500 GANG BOX 2-GANG, 1/2, 5-HOLE	Aluminum weatherproof 21H51	Elec. Component	5
3036-10019 CABLE TIES - 6 X 1 3/8 DIA.	NATURAL FASTENAL CABLE TIES	Elec. Component	80
3036-10020 CABLE TIE - 1 WHITE 4 WAY	ADHESIVE MINI INT. & CABLE TIE MOUNT	Elec. Component	80
3036-10021 CABLE TIES - 7.4 X 2 DIA.	NATURAL FASTENAL CABLE TIES	Elec. Component	80
3048-34113 CONNECTORS - CRIMP-ON BUTT	BUTT SPLICE VINYL INSULATED, 16-14 AWG, 600V ORDERED IN PACKS OF 100, SOLD BY THE EACH.	Elec. Component	41
3048-45001 FIXTURE - KILLARK TYPE G		Elec. Component	136
3048-45002 FIXTURE - KILLARK TYPE T	Includes Bracket Type T.T1 #LZWB	Elec. Component	2
3048-45003 FIXTURE - KILLARK TYPE T1	Includes Bracket Type T.T1 #LZWB	Elec. Component	2
3048-45006 FIXTURE - LSI TYPE S		Elec. Component	7
3048-45007 FIXTURE - LSI TYPE S1		Elec. Component	4
3048-45010 FIXTURE - KILLARK TYPE X	Enclosed Reflector #VMER40 Includes: Angle Reflector #VMMPA40 Includes: Wire Guard #VMRWG	Elec. Component	58
3048-45011 FIXTURE - EMERGITLITE TYPE E		Elec. Component	13
3048-45013 FIXTURE - GE TYPE B		Elec. Component	14
3048-45014 FIXTURE - KILLARK TYPE L		Elec. Component	1
3048-45015 FIXTURE - KILLARK TYPE H		Elec. Component	74
3048-45018 FIXTURE - KILLARK TYPE V		Elec. Component	50



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
3048-45020 FIXTURE - KILLARK TYPE K	VENDOR PART #VM5S250BZGLGAN	Elec. Component	24
3048-45021 FIXTURE - KILLARK TYPE F/W		Elec. Component	49
3048-45025 FLUORESCENT LAMP - 4' 835	LUMIN - F032/835/ECO T8	Elec. Component	168
3048-45026 FLUORESCENT LAMP - U SHAPE	F32T8/SP41/U/6	Elec. Component	10
3048-45027 FLUORESCENT LAMP - 4' 741	LUMIN - F32T8/TL741/ALTO	Elec. Component	237
3048-45028 FIXTURE - TYPE A HEAD ONLY		Elec. Component	9
3060-00075 RECEPTACLE GFCI 20A DUPLEX	125VAC, style 5-20R, ivory 2094-I GRAINGER # 1PLT3	Elec. Component	4
3060-00250 RECEPTACLE COVER 1 SINGLE -	1 switch, weatherproof, vertical mount	Elec. Component	6
3070-02201 SWITCHES RLGP-A, NEMA 4 -	Antunes Low Pressure Gas, 10-50 Propane	Elec. Component	2
3070-02202 SWITCHES RLGP-H, NEMA 4 -	Antunes Low Natural Gas Pressure switch, 1-7 PSI	Elec. Component	1
3070-02203 SWITCHES RHGP-A, NEMA 4 -	Antunes High Gas Pressure switch 10-50 water column #803112704	Elec. Component	2
3070-02204 SWITCHES RHGP-H, NEMA 4 -	Antunes High Natural Gas Pressure switch 1-7 PSI	Elec. Component	2
3070-02230 PRESSURE SWITCH 5.0 PSI	B424BXMFS5.0PSI SWITCH	Elec. Component	2
3070-02235 PRESSURE SWITCH 12.5 PSI	B424BXMFS12.5PSI SWITCH	Elec. Component	1
3070-02240 SWITCHES DAF-31-3-4	Low Pressure 1-35psi Dwyer (Nat.Gas)	Elec. Component	1
3070-02241 SWITCHES DAF-31-2-4	High Pressure 1-35psi Dwyer (Nat.Gas)	Elec. Component	1
3070-02500 SWITCHES JD-2G ANTUNES AIR	Proving #35443	Elec. Component	18
3070-02550M SWITCHES-MODIFIED SWITCH	#KAX 1-8401 Level Switch w/ #1-4145 Insertable w/ #1-4145 Insertable Vane and #1-3335 Flexible Paddle Extension	Elec. Component	6
3070-02593 SWITCHES M5000 PULSAR WRAP	only for 2 11/16 Shaft	Elec. Component	3
3070-02625 SWITCHES M5000 Pulsar Wrap on	SWITCHES #M5000 Pulsar Wrap only (1.5 wide x 3-7/ 16 ID x 6-7/16 OD) Part #: S0328P0628B0160	Elec. Component	1
3070-02630 SWITCHES M5000 PULSAR WRAP	only 2-15/16 shaft dia.	Elec. Component	1
3070-02899 SWITCHES M100 EZ MOUNT	Bracket Assembly w/disk and U-bolt (bracket only - no speed switch) part # 810-000001	Elec. Component	1
3070-02903 SWITCHES M100 SPEED SWITCH	only	Elec. Component	2
3070-60000 SWITCHES-WIHIRLIGIG	# WG1-4B TARGEST/BRKT/GUARD	Elec. Component	15
3070-60001 SWITCHES-M3001V10F SLIPSWITCH	M300	Elec. Component	8
3070-60002 SWITCHES-A34NPT CONDUIT	ADAPTER M30 TO 3/4 NPT	Elec. Component	3
3070-60010 SWITCHES-RLI2V6FCA + SPECIAL	INSERTABLE S.S. PADDLE, HEAVY DUTY LEVEL INDICATORS FOR CYCLONE LEVEL MONITORING.	Elec. Component	1
3070-60011 SWITCHES-RLISP2 S.S. INSERT	PADDLE	Elec. Component	4
3070-90000 SWITCHES 15 AMP SINGLE POLE	GROUNDING BLACK #14512E Leviton	Elec. Component	5
3070-90012 RELAY - WITH SPECIAL PNP INPUT	- USE WITH LONG RANGE SPEED - LRB 1000 MODULE ONLY (115VAC)	Elec. Component	8
3072-00100 TAGS LABELS TO BE ENGRAVED PER	detail attached	Elec. Component	3,398
3072-00102 LABEL (ROTATION LEFT)	(For Screws) These are sold in a pack of 50 each	Elec. Component	1,344
3072-00103 LABEL (ROTATION RIGHT)	(For Screws) These are sold in a pack of 50 each	Elec. Component	2,627
3072-00109 LABELS - 2 X 1 LABELS W/PERF	THERMAL TRANSFER, 5500 LPR (PER ROLL)	Elec. Component	8
3076-60010 TRACKS - ER35P DIN RAIL		Elec. Component	5
3078-08000 WIRE BELDEN, 8762, 500' ROLL	VENDOR PART NUMBER: 8762	Elec. Component	300
3078-40100 CORD, 50' EXTENSION, 14/3	Medium Duty PVC Jacket STW-Orange 7438K73	Elec. Component	3
3078-60030 WIRE - E70S6 - .035	(44 lbs each)	Elec. Component	88
3078-60048 WIRE - 4/0 15KV AL 220MIL	trxip	Elec. Component	20,772
3078-60050 WIRE -THHN - 10 - BLACK	19STR - CU - 500 - VENDOR PART NUMBER: 10THHN	Elec. Component	1,000
3078-60052 WIRE - STRANDED SINGLE-	- CONDUCTOR WIRE UL 1007/1569, 16 AWG, 300 VAC - ORDERED BY 100FT., SOLD BY THE FEET.	Elec. Component	158
3099-01005 SP BATTERY CHARGER FOR TURBINE	GENERATOR 125VDC CONTROL BATTERIES S/N T-5791 # A12B-3-130V-A1	Elec. Component	1
3510-08-56833 COUPLING BOLT - 5/8 X 4	with S.S. nut, #316 S.S.	Fasteners	35
3510-08-58430 BOLTS 3/4-10UNC X 5 1/2	Coupling #316 S.S. w/ pinch lock nut	Fasteners	2
3510-08-61625 BOLTS 3/4-10UNC X 6 COUPLING	#316 S.S. W/PINCHLOCK NUT	Fasteners	29
3510-26-24500 BOLTS EYE 1-1/4 X 3 THREADED	UNC shoulder-type machinery, quenched and tempered forged steel, Crosby S-279 st# 9900262	Fasteners	28
3510-48-01726 BOLTS 7/8 X 6 1/2 COUPLING	C.S. w/ pinch lock nut	Fasteners	22
3510-48-61720 BOLTS 7/8 - 9 UNC X 6 1/2	Hex plated GR5 FASTENAL PART #13426	Fasteners	28
3510-48-61725 BOLTS 7/8 x 7 Coupling C.S.	w/ 2-way locking nut ZP	Fasteners	18
3510-50-66720 BOLTS 1 1/8 - 7 UNC x 8 Hex	GR8 ZP FASTENAL PART #15529	Fasteners	6
3520-02-00306 CLIPS - 5 X 1/4 REFRACTORY	#304 STAINLESS STEEL	Fasteners	300
3540-02-03007 Nut - 1 1/4 2-Way Locknut S.S	Nut - 1 1/4" 2-Way Locknut S.S.	Fasteners	248
3540-02-03008 Nut - 1 1/8 2-Way Locknut S.S	Nut - 1 1/8" 2-Way Locknut S.S.	Fasteners	204
3540-02-03009 Nut - 7/8 2-Way Locknut S.S.		Fasteners	824
3540-02-03011 Nut - 5/8 2-Way Locknut S.S.		Fasteners	844
3540-02-30101 Nut - 3/4 2-Way Locknut S.S.		Fasteners	724
3540-50-09007 NUTS 1 1/8 - 7 UNC Nylock	Grd8 ZP FASTENAL PART #37193	Fasteners	6
3550-02-00380 PINS 3/8 X 3 CLEVIS W/ 5/32	HOLE. #304 SS	Fasteners	6
3550-48-03505 PINS SAFETY-RND 5/16x3 1/16	ROUNDED RETAINER SNAP GR5 ZINC	Fasteners	4
3570-18-01021 STUD - FULLY THREADED - THREAD	SIZE 3/4-10, OVERALL LENGTH 5 IN, ALLOY STEEL, PLAIN FINISH, UNC THREAD TYPE, GRADE B7, RIGHT HAND THREAD DIRECTION, CLASS 2A, MIN TENSILE STRENGTH 125,000 PSI, ROCKWELL HARDNESS C35, TEMP RANGE1100 F, MEETS ASTM A193, PACKAGE 4 -	Fasteners	12
3580-02-00205 WASHERS - 4.448 ID X 6.625	OD X 10GA #304 S.S.	Fasteners	24
3580-02-00210 WASHERS - 2.002 ID X 3.25 OD	X 10GA #304 S.S.	Fasteners	24
3580-02-00215 WASHERS - 3.002 ID X 4.25 OD	X 10GA #304 S.S.	Fasteners	24
3580-02-00225 WASHERS - 3.439 ID X 5.125	OD X 10GA #304 S.S.	Fasteners	14
3599-00100 BALL JOINT 5/8 -18 RH THREAD	Heavy Duty, McMaster Carr #60645K471	Fasteners	2
3599-00105 BALL JOINT 5/8 -18 LH THREAD	Heavy Duty, McMaster Carr #60645K474	Fasteners	2
4003-02003 ACTUATORS TRIAC 4300 EMI	IN LBS. ELECTRIC MODULATING, W/ 120V VAC MOTOR & 4-20 MA CONTROL VOLTAGE. CENTER OF SOCKET DRILLED AND TAPPED 3/8-16 UNC X 1	Instruments	11
4003-02003R REFURBISHED - ACTUATORS	TRIAC 4300 EMI IN LBS. ELECTRIC MODULATING, W/ 120V VAC MOTOR & 4-20 MA CONTROL VOLTAGE. CENTER OF SOCKET DRILLED AND TAPPED 3/8-16 UNC X 1	Instruments	5
4012-25050 NOZZLE -FLAT SPRAY 303 SS 1/4	NPT MALE CONNECTION, 1.5 GPM@ 40 PSI	Instruments	3



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
4012-25100 NOZZLE 1 S.S. FULL CONE SPRAY	Nozzle - 1-HHSJ-150-470	Instruments	1
4012-25500 NOZZLE 3/8 SPIRAL JET SPRAY	Spiral-jet spray nozzle HHSJ-SS-90-40	Instruments	3
4012-26000 NOZZLE S.S. SPRAY NOZZLE -	HHSJ-SS-60 1780	Instruments	3
4012-28000 NOZZLE 3/4 MALE NPT X 3/8	orifice LT-510. 1.05 OD aluminum machined per ICM print #1310-0002 Water Hose Nozzle	Instruments	38
4018-00001 Software License Used for	imaging to aid in setting up DCS systems at plants Phuc Nguyen will handle this item.	Instruments	53
4018-30601 Motorola MC9090-G WLAN	802.11 A/B/G, STANDARD RANGE 1D LASER, COLOR TOUCH SCREEN, 128/128 MB, 53 KEY, WM 6.1, AUDIO VOICE, BLUETOOTH, CLASS 1, DIV 2 - MC9090- GF0HCEQA65R.	Instruments	1
4018-30602 MOTOROLA, US AC LINE CORD	1.8M, 3 PRONG, GROUNDED, NEMA 5-15P PLUG THIS ITEM REPLACES 4015-30757	Instruments	1
4018-30755 PSC, PWR SUPPLY, DOCK, F44XX		Instruments	2
4018-30757 PSC, 120V AC POWER CORD,	FOR FALCON DOCK	Instruments	2
4018-30758 PSC 1-SLOT DOCK FOR 4400 SER'S	7-0856	Instruments	2
4018-30760 PSC, USB CABLE, FALCON	4410/4420 COLOR DOCK TO PC.	Instruments	3
4018-30763 PRINTER ROLLS TT SYNTHETIC	PRINTER ROLLS TT SYNTHETIC PAPER 4x2 2500/ROLL 8IN OD W/PERF	Instruments	3
4018-40001 SIEMENS STANDARD ANALOG INPUT	MODULE	Instruments	1
4018-50002 PRINTER - ZEBRACARD, P120I	COLOR CARD PRINTER - DUAL-SIDED, W/USB I/F	Instruments	2
4018-60010 SOFTWARE-LABEL MATRIX SINGLE	USER. FOR WINDOWS 95, BAR CODE SYMBOLOGIES: LINEAR SUPPORT & 2D/MULTI-DIMENSIONAL SUPPORT. VENDOR PART NO. LM8	Instruments	5
4018-60012 PRINTER CARTRIDGE - ZEBRACARD,	MONOCHROME RESIN RIBBON (CARTRIDGE), BLACK, 1000 IMAGES/ROLL, FOR P1101, P1201 PRINTERS	Instruments	6
4018-60015 TRACERPLUS - PROFESSIONAL	DATA COLLECTION SOFTWARE FOR WINDOWS MOBILE/PPC AND CE.NET	Instruments	1
4018-60016 ODBC LINK - FOR TRACERPLUS PPC	WINDOWS MOBILE	Instruments	2
4018-60038 DATAMAX LABEL ROLLS - 4	CONTINUOUS LARGE ROLLS - GREEN.	Instruments	4
4018-60039 DATAMAX LABEL ROLLS 4	DATAMAX LABEL ROLLS 4"	Instruments	2
4018-60040 DATAMAX LABEL ROLLS - 1 BLACK	AND WHITE ARROWS.	Instruments	3
4018-60041 DATAMAX LABEL ROLLS - 4	CONTINUOUS LARGE ROLLS - BLUE.	Instruments	2
4018-60042 DATAMAX RIBBONS SMALL - 4	ROLLS - WHITE.	Instruments	17
4018-60043 DATAMAX LABEL ROLLS - 4	CONTINUOUS LARGE ROLLS - RED.	Instruments	2
4018-60044 DATAMAX LABEL ROLLS - 4	CONTINUOUS LARGE ROLLS - YELLOW.	Instruments	2
4018-60045 DATAMAX RIBBONS SMALL - 4	ROLLS - BLACK.	Instruments	1
4018-60046 CRADLE POWER SUPPLY -	(REQUIRES US AC LINE CORD 23844-00-00), KT14000-148R.	Instruments	2
4024-00200 CONTROLS 1746IA16- A/B	16 point 120 vac input module - VENDOR PART NUMBER: 1746IA16	Instruments	1
4024-00300 CONTROLS 1746N14 A/B 4 POINT	alalog input module - VENDOR PART NUMBER: 1746N14	Instruments	2
4024-00500 CONTROLS 1746NO4I-A/B 4 POINT	analog output module	Instruments	1
4024-00520 CONTROLS 1746SC-IA8I 8 POINT	isolated input module (discrete)	Instruments	1
4024-00525 CONTROLS 1746SC-NO8I ANALOG	OUTPUT MODULE	Instruments	1
4024-00650 CONTROLS 1746OW16-AB 16 POINT	120 vac output module	Instruments	1
4024-00700 CONTROLS 1746OX8- A/B 8 POINT	ISOL, 120 vac output module	Instruments	2
4024-00800 CONTROLS 1746P4-AB RACK MOUNT	power supply	Instruments	1
4024-01052 CONTROLS 1747L54I A/B 16K	Processor	Instruments	1
4024-01053 CONTROLS 1747L55I SLC505 16K	Processor	Instruments	1
4033-00110 FLOWMETERS 4165K161 1 1/2 br	FLOWMETERS #4165K161 1 1/2 brass 15-150 gpm right to left flow McMaster-Carr	Instruments	1
4033-02102 FLOWMETER - CHANGEABLE SCALE	GLASS PANEL MOUNT - MAX 250 PSI @ 250F - MAX TEMP 250F - FLOW RANGE, WATER GPH 0.05-2.15	Instruments	1
4036-17500 THERMOMETER ASHCROFT 6 FACE	9" STEM 200-1000F #50E16OR090-200/1000	Instruments	15
4036-19500 GAUGES ASHCROFT 2.5 FACE	1/4" NPT 30" WATER COL. LOWER CONNECTION	Instruments	2
4036-19510 GAUGE 5 ASHCROFT 0/200	TEMPERATURE GAUGE 0/200 4" STEM (TAG #S TI-6852, TI-6853)	Instruments	5
4036-30501 GAUGE CAPSUHELIC - 0-20 WC		Instruments	8
4036-30502 GAUGE CAPSOHELIC -	RANGE 5-0-5 in WC	Instruments	16
4036-30505 BRACKETS - MOUNTING BRACKETS	USED FOR DWYER CAPSUHELIC GAUGES	Instruments	1
4036-51012 GAUGE 1 1/2 DRY 0-100 PSI	with 1/8" NPT VENDOR PART #GA1510051001B	Instruments	17
4045-01500 DWYER MK III MANOMETER DIGITAL	HANDHELD DIGITAL MANOMETER, RANGE 0-40 IN. W.C. WITH CARRYING CASE	Instruments	3
4048-01001 MONITOR BULB: UV TUBE		Instruments	13
4048-05500 MONITORS E-300 EXPANSION	MODULE	Instruments	7
4051-03600 Pumps - electric Vacuum/	Pressure Pump, Gast, Model # DOA-P704-AA; Part # RTD564 Portable, 1/8 HP, 115V, 25.5"HG Max Vacuum, 1.1 CFM Free Air	Instruments	2
4051-50054 PUMP-ALLOY C IDLER/DRIVE GEAR	MAX FLOW 5.4. KIT INCLUDES: CARBON 60 WEAR PLATES AND BEARINGS, TUNGSTEN CARBIDE COATED ALLOY-C SHAFT TEFLON O-RING & BEARING PINS, RETAINING RINGS	Instruments	1
4054-06755 REGULATOR - FISHER 133HP, 2	NPT, 6-20# SPRING - USED ON DRYER GAS TRAINS	Instruments	1
4054-06756 REGULATOR -	SSI BRV71 P.R.V. 20-60 PSI	Instruments	2
4057-10004 SENSORS MINIRAE 3000 W/ACY KIT	MINIRAE 3000 W/ ACCESSORIES KIT -059-B110-300	Instruments	3
4069-00110 TRANSDUCER AT2-420-24L-FT	Output 4-20 MA (NK TECH. used on a 50 HP 480V used on a 50 HP 480V motor) 0-100 amp range	Instruments	4
4069-00120 TRANSDUCER AT3-420-24L-FL	Output 4-20 MA (NK TECH used on a 200 HP 480V motor) SWITCHABLE INPUT AMP RANGE OF: 0-750A, 0-500A, OR 0-375A	Instruments	25
4072-01010 TRANSFORMERS IGNITION WIRE	Only for #12178 transformer. 10# long with 90 degree Rajah connector mfg #	Instruments	3
4075-12405 VALVE - CHECK VALVE, OR37B,	For DDG Slide Gate Actuators	Instruments	17
4075-20000 TRANSMITTER EJA110A-DMS4B-	-92EA/FFI/DI Yokogawa Digital Differential Pressure, calibrated for 0-75 WC	Instruments	3
4075-20500-01 TRANSMITTER IDP10-T22B21F-	M1L1 Intel Elec d/p Cell Transmitter. Differential pressure transmitter w/4-20 mA and Digital Hart output signal, 1/2 NPT process connection and 316 S.S. process cover, CSA intrinsically safe, and explosion proof. With the following calibration: -5 to +5 in H2O.	Instruments	13
4075-20500-02 TRANSMITTER IDP10-T22B21F-	M1L1 Intel Elec d/p Cell Transmitter. Differential pressure transmitter w/4-20 mA and Digital Hart output signal, 1/2 NPT process connection and 316 S.S. process cover, CSA intrinsically safe, and explosion proof. With the following calibration: -10 to +10 in H2O.	Instruments	9



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
4075-20500-05 TRANSMITTER IDP10-T22B21F-	M11 Intel Elec d/p Cell Transmitter, including 316 S.S. Process Cover, 316 S.S. Sensor, Silicone Fill Fluid, and intrinsically safe and explosionproof at least for Class II, Div 1, Group G. Also includes painted steel Mounting bracket with plated steel bolts and digital indicator, internal pushbuttons, and window cover with the following calibration: -10 to +0 in H2O	Instruments	7
4075-25010 TRANSMITTER - T1LMKTXF FOXBORO	TEMPERATURE TRANSMITTER W/9 TYPE K THERMO- COUPLE CALIBRATION RANGE: 0-350, INSERTION LENGTH 9, NO LAG *TO INCLUDE TT-2CB309000 THERMALWELL, ASSEMBLED AND COMPLETE AS ONE UNIT. DO NOT SHIP SEPERATLY*	Instruments	12
4075-36300 TRANSMITTER ICM-DRYER-TT-2 Yo	TRANSMITTER #ICM-DRYER-TT-2 Yokogawa JUXTA Type K thermocouple with DIN rail adapter transmitter ass y. transmitter calibrated at 0-1500 deg. F, cast iron terminal head, solid hex head connection & t hermowell, insertion length 24.5, no lagging WITH OUT MODULE	Instruments	2
4075-50000 TRANSMITTER IGP10-T22D1F-M11	Intel elec d/p cell transmitter Differential pressure transmitter w/ 4-20 mA and Digital Hart Output Signal, 1/2 NPT process connection and and 316 SS Process Cover, intrinsically safe, and explosion proof.	Instruments	5
4075-80025 TRANSMITTER VJU7-016-UANO	Temperature transmitter w/single output (RTD, 0-500 deg.F)	Instruments	1
4075-80050 TRANSMITTER VJU7-026-UAAO	Temperature transmitter w/dual output (RTD, 0-350 deg. F)	Instruments	1
4075-80053 TRANSMITTER VJU7-026-UAAO	Temperature transmitter w/dual output (RTD 0-500 deg.F)	Instruments	1
4075-80055 TRANSMITTER VJU7-026-UAAO	Temperature transmitter w/dual output (Type K, TC, 0-1500 deg.F)	Instruments	1
4075-80060 TRANSMITTER VJU7-026-UAAO	Temperature transmitter w/dual output (Type K, TC, 0-2000 deg. F)	Instruments	2
4075-90100 TRANSMITTERS DRUM LEVEL	IDP10- Foxboro Differential Pressure Transmitter. IDP10-T22E21F-MILI	Instruments	3
4075-90205 TRANSMITTER - YOKOGAWA,	Differential Pressure Transmitter. Two Wire 24 vdc, Smart (Remote Setup & Calibration), With 4-20mA Output and Digital Local Indicator. Connection Size 1/2" NPT, SS Body with General NEMA 4 2" Pipe Mounting Bracket. With Stainless Steel Tags. Calibration Range -10 to +10 WC.	Instruments	13
4075-90206 TRANSMITTER - YOKOGAWA,	Differential Pressure Transmitter. Two Wire 24 vdc, Smart (Remote Setup & Calibration), With 4-20mA Output and Digital Local Indicator. Connection Size 1/2" NPT, SS Body with General NEMA 4 2" Pipe Mounting Bracket. With Stainless Steel Tags. Calibration Range -5 to + 25 WC.	Instruments	2
4075-90207 TRANSMITTER - YOKOGAWA,	Differential Pressure Transmitter. Two Wire 24 vdc, Smart (Remote Setup & Calibration), With 4-20mA Output and Digital Local Indicator. Connection Size 1/2" NPT, SS Body with General NEMA 4 2" Pipe Mounting Bracket. With Stainless Steel Tags. Calibration Range -5 to + 5 WC.	Instruments	19
4075-90208 TRANSMITTER - EJA530A-ECS4N-	02EE/FF1/D1, Pressure Transmitter / Yokogawa, DP Harp Digital Direct Mount Gauge, 2 Wire, 24 VDC Loop Powered, 4-20 mA DC Output With HART Protol, 0-72.5 To0-1450 Psig Min / Max Span, Hastelloy C Diaphragm / 316 S.S. Other parts, 1/2" FNPT Process Connector. 1/2" FNPT Electrical Connection / 2 Ports. W / LCD Digital Indicator w/Range Switch. 2" Pipe / Wall Mount Bracket. FM Explosion Proof Area Classified English Eng. Units Calibrated 0 - 300 Psig. Tag Number PDT - 9206.	Instruments	6
4075-90224 TRANSMITTER- EJA530A-EBS4N-	02EE/FU1/D1. GAUGE AND ABSOLUTE PRESSURE TRANSMITTER YOKOGAWA. TWO WIRE 24VDC LOOP POWERED, SMART (REMOTE SETUP & CALIBRATION) ABSOLUTE OR GAUGE PRESSURE TRANSMITTER WITH 4-20MA OUTPUT AND INTEGRAL DIGITAL LOCAL INDICATOR. STAINLESS STEEL EQUIPMENT TAG AND 2" PIPE MOUNTING BRACKET. TAG#S PT-21611, PT-21641 PT-21642, PT-21711, PT-21708.	Instruments	3
4078-00100 VALVE 4 SHUTOFF	H137CN32F1F26V16, 4 H137 Shut-off valve	Instruments	1
4078-00105 VALVE 6 SHUTOFF H137CQ32F1F26	6 H137 Shut-off valve	Instruments	1
4078-00330 VALVE-PRESSURE SAFETY 1 1/2 G3	CROSBY MODEL #1 1/2 G3-JOS-E15-OR-D 1 1/2" X 3" 150# FLANGED "G" ORIFICE, VITON SEAT, PACKED LIFT LEVER SET @ 175 PSIG, RELIEF RATE 7,000, 1 1/2" 150# INLET, 3" 150# OUTLET. TAG# PSV-21641 & PSV-21642	Instruments	1
4078-00336 VALVE-PRESSURE SAFETY SELECTOR	CROSBY MODEL #SVR-0605F-SCTO SWITCH VL 1 1/2 150# RF FLG CONN, SAFETY SELECTOR VALVE, SINGLE ACTIVE, ROTARY STYLE SC BODY, SS TRIM, TEF SEATS, MAX TEMP 400 DEG F, RELIEF RATE 7,000, 1 1/2" 150# INLET, 1 1/2" 150# OUTLET. TAG # SP-21641	Instruments	1
4078-00460 VALVE 2 npt Syncro Gas Thrott	VALVE 2 npt Syncro Gas Throttle valve configured (2M CNFGD) Std butterfly, 135cv flow @ wot, sdt st yle,cam, and spring for gas outlet less than 5psi, no connection base or linkage, no switch, 120in/l bs torque @ max pressure, no actuator	Instruments	1
4078-00461 VALVE Repair part for 2 Syncr	VALVE Repair part for 2 Syncro Gas Throttle Valve : plunger cap assy #24862	Instruments	1
4078-00462 VALVE Repair part for 2 Syncr	VALVE Repair part for 2 Syncro Gas Throttle Valve : cam spring #1066041	Instruments	1
4078-00463 VALVE Repair part for 2 Syncr	VALVE Repair part for 2 Syncro Gas Throttle Valve : operating crank #13410	Instruments	1
4078-00464 VALVE Repair part for 2 Syncr	VALVE Repair part for 2 Syncro Gas Throttle Valve : spring std compression #13634	Instruments	1
4078-00465 VALVE Repair part for 2 Syncr	VALVE Repair part for 2 Syncro Gas Throttle Valve : shaft operating, 2M #15900	Instruments	1
4078-00466 VALVE Repair part for 2 Syncr	VALVE Repair part for 2 Syncro Gas Throttle Valve : butterfly valve disc 2 #06944	Instruments	1
4078-00496 VALVE HAUCK FVS2B60F GAS	control 6 characterized control (valve only)	Instruments	1
4078-00950 VALVE VENT 2 1/2 S262SF02N3KK	VALVE VENT 2 1/2 S262SF02N3KK4 ASCO N.O.	Instruments	2
4078-01000 8262G202 ASCO SOLENOID VALVE,	120 vac, Fail Close TAG: SV-7112,SV7212,MT-7201	Instruments	3
4078-01800 VALVE - SKINNER - 1 SOLENOID	16F50246ACH4C05	Instruments	2
4078-02000 VALVE BRASS 4-WAY SOLENOID AIR	valve w/ 3/16 orifice, 3/8 NPT ports, 125 psig ASCO Part #8342G3MS	Instruments	2
4078-02005 VALVE ARO HAND OP. VALVE	(Ingersoll-Rand): 3 position spring-centered 4-way side ported with 1/4 NPT Threads Hand Lever w/spring return	Instruments	9
4078-40031 VALVE-3 JAMESBURY CLOSED	150# SS WAFER BODY BF VALVE, 316 SS DISC & STEM EXTREME SEAT, 3R NEMA 4, FAIL CLOSED POSITION VPVL300SR4/5 ACTUATOR, VAS8320G184MS ASCO SOLENOID QG2VC02SRA LIMIT SWITCH MODEL #815W-11-3600XZ	Instruments	3
4078-40032 VALVE-3 JAMESBURY OPEN	150# SS WAFER BODY BF VALVE, 316 SS DISC & STEM, XTREME SEAT, 3R NEMA 4, FAIL OPEN POSITION, VPVL300SR4/5FO ACTUATOR, VAS8320G184MS ASCO SOLENOID, QG2VC02SRA LIMIT SWITCH, VALVE MODEL #815W-11-3600XZ	Instruments	1
4078-60020 VALVE SOLENOID 2 ACTUATED	120 VAC, STANDARD PORT, TFE SEAT, NEMA TYPE 3R, SPRING RETURN ACTUATOR, FAIL CLOSE (AIR TO OPEN) CLOSE POSITION LIMIT SWITCH, OPEN POSITION LIMIT SWITCH, BALL, SS 150# FLANGE	Instruments	1
4078-60236 VALVE - 4 HAWK PSV2A40F		Instruments	1
4078-60253 CHECK VALVE - 3 HYGRADE	SERIES "T" RAISED FACE WAFER TYPE, 150# PRESSURE RATED, SPRING ASSITED CLOSURE, INCONEL X750 SPRING MATERIAL, RESILIENT/METAL SEAT TO DISC. CONFIGURATION. AFLAS SEAL MATERIAL.	Instruments	3



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
4120-1051-00-01 32 ROUND DAMPER, NEW STANDARD	for all plants only	ICM MFG	2
4120-1054A DAMPER SHAFT 3'-7 1/2	32" Round Damper, Standard for all plants only	ICM MFG	3
4120-1324A-00-01 Round Damper Shaft - 36 Dia.	Round Damper Shaft - 36" Dia. Damper Shaft 4' - 0 3/4" - 1 1/2" Round Bar #304 S.S. Machined Per ICM Print #4120-1324-00-01 for Damper. ALSO SEE: 2066-90122	ICM MFG	2
4120-1354A-00-00 Round Damper Shaft 50 Dia.	Round Damper Shaft 50" Dia. Damper Shaft 5' - 1 3/8" - 1 1/2" Round Bar #304 S.S. Machined per ICM print # 4120-1354-00-00 for damper.	ICM MFG	1
4TB3011-4035 ABB pH sensor and temperature	ABB pH sensor and temperature compensator extension cable w/BNR mating connectors one end and tin lead other end for connection to Yokogawa pH transmitter. Cable length: 35ft.	ICM MFG	22
4TB3011-4050 ABB pH sensor and temperature	ABB pH sensor and temperature compensator extension cable w/BNC mating connectors and pin lug end for connection to Yokogawa pH transmitter. Cable length: 50ft.	ICM MFG	34
5000-10101 Motors - Marathon, M497, 1HP,	1800 RPM, 230/460 V, 143TC, SDFC, ULTRA.	Motor	2
5023-40005 Motors - GE, M8999-F2, 300HP,	1200 RPM, 460 V, 449T, SDFC, 3PH, 60HZ, F2 Mounting.	Motor	1
5035-10010 Motors - GE, M9941, 3HP,	1800 RPM, 460 V, 182T/184T, SDFC, 3PH, 60HZ, Footed Construction, XSD, Prem Eff Energy Saver Severe Duty.	Motor	10
5045-00900 MOTOR - 30HP 1800 RPM SDFC	286TC 460 VOLT ULTRA	Motor	2
5075-0025 Motors - Marathon, E506, 20HP,	1800 RPM, 230/460 V, 256T, Explosion Proof, 3PH, 60HZ, Rigid Base, NEMA Premium.	Motor	1
5085-0001 MOTOR - 150HP 1800 RPM SDFC	445T 460 VOLT ULTRA	Motor	5
5508-26-20075 BUSHINGS 3 X 2 THRD. RED.	C.S.	Pipe / Fittings	1
5516-26-10000 CAPS 1 PIPE SCH40, THRD. C.S.		Pipe / Fittings	6
5520-02-00001 UBOLT - 3/8 X 2 PIPE LONG	SHANK 304SS.	Pipe / Fittings	1
5520-32-00500 HANGERS 1/4 Pipe Ubolts w/ nuts	HANGERS 1/4 Pipe Ubolts w/ nuts Galv.	Pipe / Fittings	24
5524-02-50606 COUPLINGS 1 1/2 HALF THRD.	150# #304 S.S.	Pipe / Fittings	1
5528-02-12150 ELBOWS 1 1/2 90° Sch40 Thrd.	ELBOWS 1 1/2 90° Sch40 Thrd. #304 S.S.	Pipe / Fittings	2
5528-02-15050 ELBOWS 10 Sch40 90° BW LR 304	ELBOWS 10 Sch40 90° BW LR 304 S.S.	Pipe / Fittings	6
5528-02-15060 ELBOWS 12 SCH 40 90° BW LR	#304 S.S.	Pipe / Fittings	1
5528-02-20201 ELBOWS 2 SCH10 45° BW LR 304	S.S.	Pipe / Fittings	2
5528-02-30203 ELBOWS 3 SCH40 90° LR BW 304	S.S.	Pipe / Fittings	2
5528-02-85050 ELBOWS 8 SCH40 90° BW LR 304	S.S.	Pipe / Fittings	2
5528-15-00005 ELBOW - 1/2 90 DEGREE SW	3000# PRESSURE RATING, ALLOY 20 ASTM B462 UNS N08020 (N1)	Pipe / Fittings	28
5528-26-20303 ELBOWS 2 90° STREET C.S.		Pipe / Fittings	5
5528-26-20425 ELBOWS 2 90° dual flanged 150	ELBOWS 2" 90° dual flanged 150# cast iron	Pipe / Fittings	10
5536-26-10013 EXPANSION JOINT - 30-3/8 ID,	75" INSIDE HEIGHT, 6" F/F, OPERATING DESIGN TEMP 500F, MUST HANDLE HUMID AIR, AND INCLUDES CLAMP BARS. FLANGE PATTERN FOR THE EXPANSION JOINT SHOULD MATCH ICM DRAWING# C107-1110-4055	Pipe / Fittings	1
5544-02-11825 FITTINGS 1/8 FNPTX 3/8	Compression #304 S.S.	Pipe / Fittings	12
5544-02-30607 FITTINGS - 1/8 MIPT X 1/4	COMP. 90 DEG. #304 S.S. - VENDOR PART NUMBER: DLN425S	Pipe / Fittings	3
5544-08-11717 FITTINGS 1/8 Male pipe x 1/4	FITTINGS 1/4 Male pipe x 1/8 Tube straight 316 S.S. Yorlok 5182K807 MALE CONN - DCT42	Pipe / Fittings	3
5544-08-20055 FITTINGS - 1/2 MNPT X 1/2	TUBE JIC 8 - 8 FTX S.S.	Pipe / Fittings	22
5544-22-30506 FITTING: Orifice Style Low Pre	FITTING: Orifice Style Low Pressure Snubber, 1/4 Brass, .125 orifice, 1/4 Male x 1/4 Female.	Pipe / Fittings	252
5548-02-10204 FLANGE 1/2 FFSO 150 304 SS		Pipe / Fittings	2
5548-02-40101 FLANGE 4 150 THRD. 304 S.S.		Pipe / Fittings	2
5548-02-40202 FLANGE 4 150 304 S.S.	FLANGE 4" 150# #304 S.S. RSD FACE SLIP-ON ASME SA 182	Pipe / Fittings	3
5548-08-20304 FLANGE - 3 CLASS 150 WAFER	STYLE #316 S.S. DUAL DISC SWING CHECK VALVE	Pipe / Fittings	3
5548-26-20909 FLANGE 2 1/2 150 RFSW C.S.		Pipe / Fittings	5
5548-26-30050 FLANGE 3/4 150 RFSW CS-A105		Pipe / Fittings	4
5548-26-80607 18 IN STL Journal Flange w/	18 IN STL Journal Flange w/(16) 1-8 x 5-1/2 studs and nuts. (Drawing ID: B5027) (Part ID: 17J13588) JFQ-1299-180-250-1	Pipe / Fittings	6
5548-26-80610 FLANGE - 1/2 LJ 150 C.S.		Pipe / Fittings	2
5548-28-00010 Nipple Flange w/split rings	Nipple Flange w/split rings and copper gasket per Dwg. A-24749 - 15.25 B.C. - 16 Hole. (Drawing ID: A24749) (Part ID: 16E06010) SJ1205Q	Pipe / Fittings	6
5552-08-00010 GREASE ZERK TUBE - 7 1/4 LONG	GREASE ZERK TUBE WITH ZERK, 1/8" SCH40 #316 S.S. PIPE, TBE, USED ON 12" CONVEYOR COMPONENTS, FOR 2009-00308 OR 2009-02814 ***SPARES USAGE ONLY !	Pipe / Fittings	1
5552-08-00015 GREASE ZERK TUBE - 9 1/2 LONG	GREASE ZERK TUBE WITH ZERK, 1/8" SCH40 #316 S.S. PIPE, TBE, USED ON 16" CONVEYOR COMPONENTS, FOR 2009-02802 ***SPARES USAGE ONLY !	Pipe / Fittings	5
5552-08-00025 GREASE ZERK TUBE - 15 1/2	LONG GREASE TUBE WITH ZERK, 1/8" SCH40 #316 S.S. PIPE, TBE, USED ON 24" CONVEYOR COMPONENTS, FOR 2009-02925 - ***SPARES USAGE ONLY!!!!!!	Pipe / Fittings	2
5556-02-10720 NIPPLES 1 1/2 x 3 SCH 40 TOE	NIPPLES 1 1/2" x 3" SCH 40 WELDED TOE #304 S.S.	Pipe / Fittings	18
5556-02-10721 NIPPLE 1/2 X 3 TOE S.S.		Pipe / Fittings	10
5556-02-11000 NIPPLES 1x2 SCH 40 TOE 304	NIPPLES 1" x 2" SCH 40 WELDED TOE #304 S.S.	Pipe / Fittings	22
5556-02-11500 NIPPLES 1X 3 SCH 80 TOE 304	S.S.	Pipe / Fittings	5
5556-02-12222 NIPPLES 1 x 4 Sch40 TOE 304	NIPPLES 1 x 4 Sch40 TOE #304 S.S.	Pipe / Fittings	3
5556-02-12525 NIPPLES 1/2 X 1 SCH 40 TOE	#304 S.S.	Pipe / Fittings	21
5556-02-12750 NIPPLES 1/2 x 1 1/2 Sch40 TO	NIPPLES 1/2 x 1 1/2 Sch40 TOE #304 S.S.	Pipe / Fittings	1
5556-02-12930 NIPPLES 1/2 x 2 TOE 304 S.S	NIPPLES 1/2" x 2" TOE SCH 40 #304 S.S.	Pipe / Fittings	31
5556-02-13400 NIPPLES 1/2 X 5 SCH 40 TOE	#304 S.S.	Pipe / Fittings	5
5556-02-13910 NIPPLES - 1/4 X 2 TOE	SCH.40, #304 S.S.	Pipe / Fittings	27
5556-02-21213 NIPPLES 2 x 4 Sch40 TOE 304	NIPPLES 2 x 4 Sch40 TOE #304 S.S.	Pipe / Fittings	7
5556-02-30000 NIPPLES 3/8 x 2 NPT 304 S	NIPPLES 3/8 x 2 NPT #304 S.S.	Pipe / Fittings	4
5556-02-30080 NIPPLES 3/4 X 4 SCH 40 TOE	#304 S.S.	Pipe / Fittings	145
5556-02-30125 NIPPLES 3/4 X 1 SCH 40 TOE	#304 S.S.	Pipe / Fittings	1
5556-02-40103 NIPPLE - 1 X 1 LONG 304	STAINLESS STEEL - TOE	Pipe / Fittings	10
5556-26-12740 NIPPLES 3/8 X 6 SCH 40 C.S.		Pipe / Fittings	1
5556-26-30707 NIPPLES 3/4 X 4 TBE C.S.		Pipe / Fittings	3



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
			Updated July 17, 2011
5568-02-07500 REDUCER 1/8 MPT X 1/4 FPT	STRAIT EXPANDER 5405 SERIES 304 SS	Pipe / Fittings	23
5568-02-07501 REDUCERS 3/4 X 2 CONC. BW	Sch 10 #304 S.S.	Pipe / Fittings	5
5568-02-10000 REDUCERS 3/4 X 1/2 SCH 10	Concentric #304 S.S.	Pipe / Fittings	2
5568-02-20101 REDUCERS 2 X 1 SCH 10 BW ECC	Eccentric #304 S.S.	Pipe / Fittings	4
5568-02-20102 REDUCER 2 X 1 150 SW 304	SS COUPLING (SOCKET WELD)	Pipe / Fittings	2
5568-02-40150 REDUCERS 4 x 2 SCH 10 CONC.	REDUCERS 4" x 2" SCH 10 CONC. BW #304 S.S.	Pipe / Fittings	1
5568-02-40505 REDUCERS 4 X 3 SCH 10 ECC.	BW #304 S.S.	Pipe / Fittings	1
5568-02-50505 REDUCERS - 5 X 3 SCH. 10	Cons. BW #304 S.S.	Pipe / Fittings	2
5568-02-60100 REDUCERS 6 x 2 Sch10 Conc.	REDUCERS 6 x 2 Sch10 Conc. #304 S.S.	Pipe / Fittings	2
5568-02-60103 REDUCERS 6 x 3 SCH 10 ECCEN.	REDUCERS 6" x 3" SCH 10 ECCEN. BW #304 S.S.	Pipe / Fittings	23
5568-02-80606 REDUCERS 8 X 6 CONC. SCH 10	#304 S.S.	Pipe / Fittings	12
5568-02-90508 REDUCERS - 3 X 1 1/2	CONCENTRIC SCH10 #304 S.S.	Pipe / Fittings	9
5568-02-90512 REDUCER - ECCENTRIC -	1" X 3/4" SCH.10 #304 S.S.	Pipe / Fittings	4
5568-15-00005 REDUCERS - 1 X 1 1/2	SCHEDULE 40S CONCENTRIC, BW ALLOY 20 ASTN B729 SEAMLESS	Pipe / Fittings	3
5568-26-20090 REDUCERS 2 X 1 BW BELL SCH40	CS	Pipe / Fittings	2
5572-02-11007 STRAINER - 12 15/64	PERFORATION #316 STAINLESS STEEL SPECIAL 14 GA. FOR SLURRY TANK - SLURRY TANK STRAINER BASKET	Pipe / Fittings	1
5576-02-00505 STUB END 1/2 SCH 10 TYPE C	STUB END 1/2" SCH 10 MSS TYPE C #304 S.S.	Pipe / Fittings	25
5576-02-30075 STUB END 3/4 Sch10 Type C 304	STUB END 3/4 Sch10 Type C 304SS	Pipe / Fittings	196
5576-15-00001 STUB END - 1/2 SCHEDULE 40S	TYPE "A", (MSS) SHORT LENGTH ALLOY 20 ASTM B366 SEAMLESS - UNS N08020 (N1)	Pipe / Fittings	8
5576-15-00002 STUB END - 1 SCHEDULE 40S	TYPE "A", (MSS) SHORT LENGTH ALLOY 20, ASTM B366 SEAMLESS - UNS N08020 (N1)	Pipe / Fittings	3
5580-08-50700 THERMOWELL WITH 3/4 NPT PROCE	THERMOWELL WITH 3/4" NPT PROCESS CONNECTION #316 S.S. T3-3/4R9 TEM TEX STEM 9 PLEASE USE PART NUMBER 5580-08-50700	Pipe / Fittings	49
5580-08-50703 THERMOWELL - 316 S.S.	Insertion Length 4 - 1/2" Process Connection 3/4"	Pipe / Fittings	18
5584-02-10101 TRAPS 1/2 Water, Coalescing F	TRAPS 1/2 WATER, COALESCING FILTER, ARO #F25241-310	Pipe / Fittings	7
5584-02-10102 TRAP - SSI UTD52H STEAM TRAP	REQUIRES CONNECTOR 3018-34123	Pipe / Fittings	2
5584-02-10201 TRAPS ARMSTRONG 881 1 THREAD	THREADED CI INVERTED BUCKET STEAM TRAP WITH INTEGRAL STRAINER 150 PSI.	Pipe / Fittings	4
5588-02-10000 TS 1/8 304 S.S.		Pipe / Fittings	1
5588-02-10099 TS 1 X 1/2 SCH40 304SS BW		Pipe / Fittings	2
5588-02-10102 TS 1-1/2 SCH 10 304 S.S. BW		Pipe / Fittings	1
5588-02-10113 TS 2 X 3/4 REDUCING	#304 S.S. (soc weld)	Pipe / Fittings	13
5588-02-10119 TS 3/4 THRD. SCH 40 304 S.S.	TS 3/4" THRD. 150# SCH 40 #304 S.S.	Pipe / Fittings	1
5588-02-10127 TS 1 Sch80 304 S.S. B.W.		Pipe / Fittings	1
5588-02-10131 TS 1 150 SW 304 SS		Pipe / Fittings	7
5588-04-00003 TS - 1/2 TEE, SOCKET WELD	TYPE, 3000# PRESSURE RATING, #304L S.S.	Pipe / Fittings	3
5588-15-00005 TS - 1/2 TEE SW 3000	PRESSURE RATING, ALLOY 20 ASTM B462 UNS N08020 (N1)	Pipe / Fittings	3
5588-26-20202 TS 2 SCH 40 WELD C.S.		Pipe / Fittings	13
5588-26-30000 TS 1/2 Thrd. 150 C.S.		Pipe / Fittings	2
5592-02-00200 UNIONS 1 3000 (SOC X SOC)	#304 S.S.	Pipe / Fittings	3
5592-02-10102 UNIONS 1 1/2 3000	(soc x soc) #304 S.S.	Pipe / Fittings	2
5592-02-20205 UNIONS 2 3000 (SOC X SOC)	#304 L	Pipe / Fittings	4
5592-26-10407 UNIONS 1 THRD. Sch40 CS 3000		Pipe / Fittings	1
5592-26-10511 Union - 1/4 Tube Compression	Union - 1/4" Tube Compression C.S.	Pipe / Fittings	2
5592-26-30101 UNIONS 3/4 150 THRD. C.S. SC	UNIONS 3/4" 150# BLK MI THRD. SCH40 C.S.	Pipe / Fittings	4
5592-26-80115 CHECK VALVE - 3/4 THREADED		Pipe / Fittings	3
5596-02-40407 VALVE, CHECK 3 RITE PRO	150# wafer metal to metal seat, valve to open between 2-4" WC	Pipe / Fittings	1
5596-02-80125 CHECK VALVE - 1 FOR UP TO	150#PSI STEAM CONDENSATE, FLANGED 150# PRESSURE RATING, CARBON STEEL BODY, SPRING ASSISTED CLOSURE, #316 S.S. SPRING MATERIAL METAL/METAL SEAT/ DISC CONFIGURATION, CHECK ALL STYLE HVFD	Pipe / Fittings	1
5596-02-80131 VALVE - 1/4 CHECK, VALVE	STYLE TUBINING INLET, FEMALE PIPE OUTLET, STAINLESS STEEL, CRACKING PRESSURE .500 SPRING MATERIAL STAINLESS STEEL	Pipe / Fittings	2
5596-08-00750 VALVE 3/4 V210FP-12	(1150-00730) ball #316 S.S.	Pipe / Fittings	1
5596-26-11112 JAMESBURY 9150-31-2236XTZ	2 #150 FLANGED END BALL VALVE W/VPVL350SR6 SPRING RETURN ACUTATOR(120PSIG RATED), SKINNER 2341 3-WAY PILOT SOLENOID (120VAC COIL) AND STOVER SR2V52LR OPEN/CLOSE POSITION LIMIT ASSY. W/LOCAL INDICATOR. VALVE MUST BE FULL PORT, C.S.-BODY,SST TRIM, TEFLON SEATS. COMPLETELY ASSEMBLEDAND TESTED, VALVE FAIL CLOSE WITH SINGLE POINT OF TERMINATION FOR LIMIT SWITCHES & SOLENOID. VALVE WILL BE USED ON #125 SATURATED STEAM SERVICE.	Pipe / Fittings	1
5596-26-11114 JAMESBURY 7150-31-2236XTZ - 2	2" JAMESBURY BALL VALVE, 7150-31-2236XTZ, 1-150 # FLANGED END BALL VALVE WITH VPVL200SR6 SPRING RETURN ACTUATOR (120 PSIG RATED) AND SKINNER 2341 3-WAY PILOT SOLENOID (120 VAC COIL) AND STOVER SR2V52LR. VALVE TO BE CARBON STEEL BODY, SST TRIM, TEFLON SEATS. COMPLETELY ASSEMBLED AND TESTED, VALVE FAIL CLOSE. VALVE TO BE USED ON WATER SERVICE. TAG #'S: EV-7103 EV-7203	Pipe / Fittings	1
6004-08-00110 ALLTHREAD 1/2-13 UNC 12'	#316 S.S. Rods	Raw material	4
6004-08-00710 ALLTHREAD 3/4-10 UNC 12'	#316 S.S. Rods	Raw material	2
6004-18-00025 ALLTHREAD 5/16 x 6' B7 Rods	FASTENAL PART #47453 47453	Raw material	10
6004-18-00110 ALLTHREAD 1/2 - 13 UNC 12' B7	Rods FASTENAL PART #47386	Raw material	1
6004-18-00205 ALLTHREAD 5/8 - 11 UNC x 6'	B7 Rods FASTENAL PART #47458	Raw material	5
6004-18-00712 ALLTHREAD 7/8-9UNC x 12' B7 R	ALLTHREAD 7/8-9UNC x 12' B7 Rods	Raw material	22
6004-18-01010 ALLTHREAD 1-8 UNC X 10 B-7	Rod	Raw material	8
6004-18-01405 ALLTHREAD - 1/4 - 20 X 12'	B7	Raw material	6
6004-26-00105 ALLTHREAD - 1/2 C.S.		Raw material	7
6004-48-00010 ALLTHREAD 1/4 - 20 UNC x 6'	GR5 Zinc Plated FASTENAL PART #47157	Raw material	14
6008-02-31320 ANGLE 3 X 3 X 3/8 X 20'	#304 S.S.	Raw material	2



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
			Updated July 17, 2011
6008-02-41020 ANGLE 4 X 4 X 1/4 X 20'	#304 S.S.	Raw material	2
6008-26-10420 ANGLE 1 X 1 X 3/16 X 20'	C.S.	Raw material	6
6008-26-31620 ANGLE 3 1/2 X 2 1/2 X 1/4	x 20' C.S.	Raw material	1
6008-26-41240 ANGLE 4 x 4 x 3/8 x 40' C.S	ANGLE 4 x 4 x 3/8 x 40' C.S.	Raw material	2
6008-26-41320 ANGLE 4 X 4 X 1/2 X 20'	C.S.	Raw material	1
6008-26-50220 ANGLE 3 X 5 X 5/16 X 20'	C.S.	Raw material	5
6008-26-53840 ANGLE 5 X 5 X 3/8 X 40' CS		Raw material	4
6008-26-60220 ANGLE 3 1/2 x 6 x 5/16 x 20	ANGLE 3 1/2 x 6 x 5/16 x 20' C.S.	Raw material	2
6008-26-61140 ANGLE 6 X 6 X 3/8 X 40'	C.S.	Raw material	3
6008-26-81032 ANGLE - ROLLED - 2 1/2 x	2 1/2" x 1/4" C.S. OVERALL OUTSIDE CIR. CUT TO 11' - 1 15/16" ROLLED 5' - 7 1/4" INSIDE RADIUS, LEG OUT	Raw material	8
6008-26-81042 ANGLE - ROLLED - 6 x 3 1/2 x	5 /16" C.S. OVERALL OUTSIDE CIR. CUT TO 12' - 7 15/16", ROLLED 4'- 4 3/4" INSIDE RADIUS, SHORT LEG OUT	Raw material	2
6016-02-10420 CHANNEL C5 X 10.4 X 20' 304	S.S.	Raw material	1
6016-26-19999 CHANNEL 1 3/4 X 4 X 12 GA X	10' C.S. fabricatedpart	Raw material	27
6016-26-31020 CHANNEL C3 X 4.1 X 20' C.S.		Raw material	1
6016-26-41040 CHANNEL C4 X 5.4 X 40' C.S.		Raw material	1
6016-26-42020 CHANNEL C4 X 7.25 X 20' C.S.		Raw material	1
6020-02-15812 FLAT BAR 1/4 x 2 1/2 x 12'	FLAT BAR 1/4 x 2 1/2 x 12' #304 S.S.	Raw material	1
6020-02-19212 FLAT BAR 3/8 X 3/4 X 12'	#304 S.S.	Raw material	1
6020-02-19312 FLAT BAR 3/8 X 1 X 12' 304	S.S.	Raw material	3
6020-02-19512 FLAT BAR 3/8 X 1 1/2 X 12'	#304 S.S.	Raw material	40
6020-02-19712 FLAT BAR 3/8 X 2 X 12' 304	S.S.	Raw material	2
6020-02-21507 FLAT BAR - 3/8 X 8 X 12'	#304 S.S.	Raw material	1
6020-02-22612 FLAT BAR 1/2 X 3 X 12' 304	S.S.	Raw material	1
6020-02-22712 FLAT BAR 1/2 x 3 1/2 x 12'	FLAT BAR 1/2 x 3 1/2 x 12' #304 S.S.	Raw material	1
6020-02-25724 FLAT BAR 1/2 x 7 1/2 x 24'	FLAT BAR 1/2 x 7 1/2 x 24' #304 S.S. sheared - must be flat and edges straight	Raw material	1
6020-02-30324 FLAT BAR 1/2 X 7 3/4 X 24'	#304 S.S. sheared - must be flat and edges straight	Raw material	4
6020-02-35012 FLAT BAR 3/4 X 1- 3/4 X 12'	#304 S.S.	Raw material	1
6020-02-46125 Flat Bar - Strips - 10' x 3 x	Flat Bar - Strips - 10' x 3" x 10 gauge.	Raw material	30
6020-02-46126 FLAT BAR 3/4 X 7.625 X 12'	#304 SS, SHEARED PLATE, MUST BE FLAT AND EDGES STRAIGHT	Raw material	8
6020-02-46127 FLAT - BAR 3/4 X 7.25 X 12'	#304 SS, SHEARED PLATE, MUST BE FLAT AND EDGES STRAIGHT. THIS ITEM REPLACES 6020-02-38124	Raw material	8
6020-05-15212 FLAT BAR 1/4 X 1 3/4 X 12'	#309 S.S.	Raw material	45
6020-26-19420 FLAT BAR 3/8 X 1 1/4 X 20'	C.S.	Raw material	1
6020-26-20520 FLAT BAR 3/8 X 3 1/2 X 20'	C.S.	Raw material	1
6020-26-21220 FLAT BAR 3/8 X 8 X 20' C.S.		Raw material	25
6020-26-27720 FLAT BAR 3/4 X 7 X 20' C.S.		Raw material	2
6020-26-27725 FLAT BAR - 3/4 X 1 1/4 X 20	C.S.	Raw material	1
6020-26-31820 FLAT BAR 1 X 4 X 20' C.S.		Raw material	2
6020-26-32020 FLAT BAR 1 X 5 X 20' C.S.		Raw material	2
6020-26-36320 FLAT BAR 1 1/4 X 4 1/2 X 20'	C.S.	Raw material	1
6020-26-45920 FLAT BAR 3/8 X 12 X 20' C.S.		Raw material	8
6020-26-46120 FLAT BAR 1/8 X 12 X 20' C.S.		Raw material	1
6020-26-46520 FLAT BAR 3/4 X 12 X 20' C.S.		Raw material	3
6024-02-00010 HOSE-2 X 12 304 SS FLANGED	150# STEAM RATED	Raw material	5
6024-02-00080 HOSE 3/4 X 60 LONG FLEXIBLE	HOSE with 3/4 MPT both ends	Raw material	3
6024-02-00105 Assembly Consisting of Two 8	Assembly Consisting of Two 8 IN Braided STN STL Hose connected by a 8 IN 90 DEG. short Radius Steel Elbow with 300 lb. Carbon Steel Lap flanges both ends. Maximum Operating Pressure @ 400 Degrees F- IS 292 PSIG. (Drawing ID: B5371) Part ID: 15065354) FH-A-SS-800-LFL-1	Raw material	5
6024-02-00315 HOSE - 1/2 X 40' BRAIDED S.S.	S.S. WITH -8 JIC FEMALE ENDS	Raw material	8
6024-02-00317 HOSE - 1 X 12 304 S.S.	FLANGED	Raw material	1
6024-50-00050 HOSE 1/4 CLEAR POLY TUBING	HOSE 1/4"ID x 1/2 "OD CLEAR POLY TUBING (PURCHASED AND USED IN FEET)	Raw material	104
6024-52-00200 HOSE 3/8 OD x 1/4 ID Polyeth	HOSE 3/8 OD x 1/4 ID Polyethylene tubing (Purcha sed and Used by the Foot) DIXON 1203	Raw material	400
6024-52-00210 HOSE-PNEUMATIC TUBING 1/4 OD	BOX OF 100 FT. POLYETHYLENE	Raw material	193
6028-26-11030 IBEAM W10 x 39 x 30' WF		Raw material	2
6028-26-11120 IBEAM W10 x 45 x 20' WF		Raw material	2
6028-26-60445 IBEAM W6 X 15 X 45' WF		Raw material	1
6028-26-80225 IBEAM W8 x 10 x 25' WF		Raw material	3
6028-26-80945 IBEAM W8 x 31 x 45' WF		Raw material	1
6028-26-81141 IBEAM - SPLIT,	WT8 X 22.5# X 20' C.S. *ONLY USED ON STACK INLET FOR 100MGY*	Raw material	1
6028-26-81144 IBEAM - S8 X 23 X 20' C.S.		Raw material	1
6032-26-00210 KEYSTOCK 5/16 X 5/16 X 12	C.S.	Raw material	5
6032-26-01375 KEYSTOCK 1 3/8 X 1 3/8 X 12	C.S.	Raw material	8
6036-02-00400 MESH - 4' x 72' 1/2 x 1/2	x 1/8 OR 3/32 WIRE SCREEN #304 S.S. ROLL (USE FOR REQUIRED SPECIAL PROJECTS)	Raw material	1,389
6036-02-00502 WOVEN WIRE CLOTH - 2 OPN 1/8	wire diameter #304 S.S. 48" x 8 ft.	Raw material	10
6036-02-00503 Mesh - 100 x 100 Mesh 4" dia.	Mesh - 100 x 100 Mesh 4" dia. Disc 304 S.S. 25 per pacakge.	Raw material	50
6036-02-00504 WOVEN WIRE CLOTH - 2 OPEN 1/4	wire diameter #304 S.S. 48" x 8 ft.	Raw material	1
6036-02-10007 MESH - REROLLED SCREEN -	10-13/16" ID X 18" CONST: #93 VEE WIRE/288R RODS - 3/4" CENTERS - SLOT: .020" - INTERNAL CIRCUMFERENTIAL WIRE (WIRE ROLLED IN) #301 STAINLESS	Raw material	1
6036-02-10008 MESH - REROLLED SCREEN -	10-13/16" ID X 18" LONG - CONSTR: #93 VEE WIRE/177 R RODS - 3/4" CENTERS - SLOT: .010" - INTERNAL CIRCUMFERENTIAL WIRE (WIRE ROLLED IN) #304 STAINLESS STEEL	Raw material	1



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
6036-04-00301 Johnson Unframed Panel -	Johnson Unframed Panel - SQ Size: 36" Wire Length x 96" Rod Length. SLOT: .069" Material: 304L CONSTR" 63 VEE WIRE/156 ROD @ .75" centers FRAME: None	Raw material	1
6040-02-21020 PIPE 2 x 20' SCH 40 304 S.S.	PIPE 2" x 20' SCH 40 WELDED #304 S.S.	Raw material	13
6040-02-34020 PIPE 3 1/2 x 20' Sch40 304 S	PIPE 3 1/2 x 20' Sch40 #304 S.S.	Raw material	1
6040-02-60120 PIPE 6 x 20' SCH40 304 S.S.	ASME SA 312	Raw material	5
6040-02-80320 PIPE - 8 x 20' SCH40 304	S.S. ASME SA-312 TP304	Raw material	1
6040-02-92021 PIPE - 4 SCH. 40 304 S.S.	PIPE X 20' ASME SA 312	Raw material	2
6040-02-92024 PIPE - 1 1/2 X 1' SCH40 304	STAINLESS STEEL	Raw material	1
6040-04-16030 PIPE-A312-304L 4IN SCH 10	STANDARD 30'-0" LONG	Raw material	155,219
6040-05-07020 PIPE 1/2 x 20' SCH 40 309	PIPE 1/2" x 20' SCH 40 #309 S.S.	Raw material	3
6040-08-21022 PIPE - 1 X SCH40 X 20' 316	STAINLESS STEEL	Raw material	1
6040-26-07020 PIPE 1/2 x 20' SCH 40 C.S.		Raw material	4
6040-26-14020 PIPE 1 1/4 X 20' SCH 40 C.S.		Raw material	35
6040-26-80520 PIPE 8 x 20' SCH 80 C.S.	PIPE 8" x 20' SCH 80 C.S. A53 XH BLK PE ERW STL	Raw material	6
6040-26-91448 PIPE - 5 X SCH. 40 X 21' C.S.		Raw material	2
6040-26-91449 PIPE - 2 X SCH.160 X 20' C.S.		Raw material	3
6044-02-60410 PLATES 3/8 X 5' X 10' 304	S.S.	Raw material	1
6044-02-72421 PLATES 3/8 X 6' X 21'	#304 S.S.	Raw material	2
6044-04-00013 PLATES - 3/4 X 4' X 8' 304L	STAINLESS STEEL	Raw material	1
6044-05-48212 PLATES 3/16 X 4' X 12'	#309 S.S.	Raw material	3
6044-06-60410 PLATES 3/8 X 5' X 10'	#310 S.S.	Raw material	2
6044-26-48920 PLATES 3/4 X 4' X 20' C.S.		Raw material	2
6044-26-49308 PLATES 1 1/2 x 4' x 8' C.S.		Raw material	2
6044-26-49408 PLATES 1 3/4 X 4' X 8' C.S.		Raw material	1
6044-26-60421 PLATES 3/8 X 5' X 21' C.S.		Raw material	1
6044-26-60910 PLATES 3/4 X 5' X 10' C.S.		Raw material	2
6044-26-60912 PLATES 3/4 X 5' X 12' C.S.		Raw material	1
6044-26-61108 PLATES 1 x 5' x 8' C.S.		Raw material	1
6044-26-61300 PLATES 1 3/8 X 6' X 12' C.S.		Raw material	1
6044-26-72421 PLATES 3/8 X 6' X 21' C.S.		Raw material	7
6044-26-96620 PLATES 3/8 X 8' X 20' C.S.		Raw material	2
6044-26-96815 T.O. TEFLON SLIDE PLATE 2A	UPPER ELEMENT - 1/4" X 14 1/4" X 14 1/4" CS 1/8" LAP WELDED TO 16GA X 14" X 14" SS POLISHED ONE SIDE	Raw material	9
6044-26-96816 T.O. TEFLON SLIDE PLATE 2B	LOWER ELEMENT - 10 GA X 8" X 12" CS BONDED WITH 3/32" X 7" X 7" TEFLON	Raw material	9
6044-26-96817 T.O. TEFLON SLIDE PLATE 1B	LOWER ELEMENT - 10 GA X 8" X 18" CS BONDED WITH 3/32" X 7" X 7" TEFLON	Raw material	9
6044-26-96818 T.O. TEFLON SLIDE PLATE 1A	UPPER ELEMENT - 1/4" X 14 1/4" X 20 1/4" CS 1/8" LAP WELDED TO 16 GA X 14" X 20" SS POLISHED ONE SIDE	Raw material	9
6044-26-96820 PLATES - 2 X 8' X 10' C.S.		Raw material	1
6044-99-00020 GRAPHITE PLATE-1.125 X 3.125 X	8" PL750	Raw material	5
6048-02-14012 ROUND BAR 1 1/2 X 12'	#304 S.S.	Raw material	16
6052-02-05303 ROUND TUBE 1/2x.065 Wall x20'	ROUND TUBE 1/2x.065 Wall x 20' 304 SS Welded .3 7 ID	Raw material	1
6052-26-60120 ROUND TUBE 6-5/8 X 10 GA.	x 20' C.S.	Raw material	2
6052-26-61020 ROUND TUBE 6 x 10 Ga. x 20' C	ROUND TUBE 6 x 10 Ga. x 20' C.S.	Raw material	1
6052-26-80679 ROUND TUBE - 2 O.D. X 11 GA X	24' C.S.	Raw material	1
6052-28-02550 ROUND TUBE- 1/4 x 50' COPPER	ROUND TUBE 1/4 Copper Refrigeration (50' roll)	Raw material	4
6052-99-03550 ROUND TUBE 3/4 OD x 1/8 WALL	ROUND TUBE 3/4" OD x 1/8" WALL x 1/2" ID RED SILICONE RUBBER FIRM - 50 FT PER ROLL	Raw material	2
6056-26-03002 SHAFT 3 X 24' TGP 1045 C.S.		Raw material	1
6056-26-04007 SHAFTS 12ODX11' T&P ASTM A108	SHAFTS 12" OD X 11' T&P BAR ASTM A108 PLEASE NOTE THAT THIS ITEMS UNIT OF MEASURE IS IN POUNDS - 1 SHAFT EQUALS 4,234 POUNDS.	Raw material	2,837
6060-05-41220 SHEETS 4' X 20' X 12 GA. 309	S.S.	Raw material	25
6060-06-41010 SHEETS 4' X 10' X 10 GA. 310	S.S.	Raw material	9
6060-06-41012 SHEETS 4' X 12' X 10 GA. 310	S.S.	Raw material	2
6060-08-51025 SHEETS - 4' x 8' x 10 GA. 316		Raw material	1
6064-02-11612 SQ BAR 1/2 X 1/2 X 12' 304	S.S.	Raw material	6
6064-26-11620 SQ BAR 1/2 X 1/2 X 20' C.S.		Raw material	1
6068-02-21020 SQ TUBE 2 SQ. X 3/16 X 20'	#304 S.S.	Raw material	6
6076-26-05005 TREADPLATE - 5' X 10' X 3/16	C.S.	Raw material	1
6080-02-00005 TUBE SUPPORT SLEEVES - 304	S.S. - REFER TO ICM DRAWING 1010-7206-00-01	Raw material	376
6099-26-10401 Z 1 1/2 X 4 X 1 1/2 X 12 GA	x 10' C.S. fabricated part	Raw material	5
CSS816-1165-1 Steamtube - CSS816-1165-1 Non	Steamtube - CSS816-1165-1 Non - Asbestos full face Gasket 11.65 inches x 14.85 inch OD x 1/16 inch thick. Drawing ID: A48611 Journal Flange Gasket Item #5 on LC-362 parts for the Johnson Joint	ICM MFG	4
EC-PT-460 OBRIEN ENCLOSURE - INTER TECH	INSTRUMENT ENCLOSURE FOR CAPILLARY MOUNT INSTRUMENTS	ICM MFG	1
EC-PT-464 OBRIEN ENCLOSURE - INTER TECH	INSTRUMENT ENCLOSURE FOR DIRECT MOUNT INSTRUMENT	ICM MFG	7
EP-14792-36 MTA Grayhill G5 Module, AC Dis	MTA Grayhill G5 Module, AC Discrete Output (24-140 VAC) SS	ICM MFG	5
EP-14792-38 MTA Grayhill G5 Module, DC Dis	MTA Grayhill G5 Module, DC Discrete Output (2-60VDC) SS	ICM MFG	5
EP-16413-16 MBI/MNI Combination PC Card		ICM MFG	2
EP-39ACM24BEN Advanced Controller Module Plu	Advanced Controller Module Plus - 4MB (16139-215) 68040	ICM MFG	1
EP-39ACM28AEN Advanced Controller Module Plu	Advanced Controller Module Plus - 8MB (16139-218) 68040	ICM MFG	1
EP-39PSR4ANDN POWERAC 400 watt (16114-200) 1	POWERAC 400 watt (16114-200) 115/230 VAC	ICM MFG	1
EP-39SAMCAN STANDARD ANALOG I/O MODULE +	(32 ch.) (16133-71)	ICM MFG	2



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			
Updated July 17, 2011			
EP-395DM024DCCB STANDARD DISCRETE I/O MODULE +	(32ch.) 24vcd (16101-174)	ICM MFG	2
EP-39VIMCCN VOLTAGE INPUT MODULE (16CH.)	(16ch.) (16171-126)	ICM MFG	2
ET-6851-100 HEATER, TRICANTER SYRUP -	10" PIPE X 14'-0" T/L SYRUP HEATER (ACT. DIM. 16" WIDE X 24" HIGH X 16'-0" LONG)	ICM MFG	1
J1235-1 SteamTube - J1235-1, 3 piece p	SteamTube - J1235-1, 3 piece packing set for 1200EL Joint - S5. Drawing ID: A33093 Preformed Packing Set, Item #35 on C-2592. Parts for the Johnson Joint.	ICM MFG	6
J9096-1203-015 CO2 VENT CONNECTIONS		ICM MFG	2
PG-8411-100 PUMP - 0.5 HP - FUEL ADDITIVE	VESSEL PRESSURE: 14.7 PSIA, NPSH _a : 28.5 FT. REQUIRED FLOW RATE: 0.25 GPM, MODEL NUMBER: SG-0729-GOV-B, IMPELLER TYPE: SPUR-GEAR, SEAL TYPE: LIP SEAL, RPM: 1800, VOLTS: 460, FREQUENCY 60 Hz, MATERIALS: CAST IRON, MOTOR FRAME: 56C	ICM MFG	1
PI-2805-100 PRESSURE INDICATOR	ASHCROFT, MODEL:45-1279-SS-04L, SPECIAL CODE: XNH-XSG-XLL, 0-30 PSIG, 1/2" MNPT CONNECTION.	ICM MFG	2
PRV-9501 PRESSURE REGULATOR VALVE	SPIRAX SARC MODEL #BRV71-1", FLOW 500 LB/HR @ 115 PSI, INLET PRESSURE 150 PSI MAX, OUTLET PRESSURE RANGE 20-60, CONNECTION TYPE NPT	ICM MFG	3
RD24W7 POWER SUPPLY MODULE FOR RACK	FOR WALL MOUNTING REDUNDANT POWER SUPPLY DIMENSIONS: 10 1/2" X 9" X 3 1/2"	ICM MFG	1
SJ1208Q Steamtube - SJ1208Q - 10 inch	Steamtube - SJ1208Q - 10 inch Q Gasket Copper-T-CDA-110ETP (C-11000) - 9.75 I.D. x 11.365 OD Drawing ID: A244790 Copper Gasket Item #: 8Q on C-2592 Parts on the Johnson Joint	ICM MFG	5
SP0132 TRUNNION SHIM PACKAGE	1 package equals a set of 20; 20 each 1/4 X 3 X 24 C.S. cut from 6044-26-48108 PLATES 1/4 x 4' x 8' C.S. 20 each 10 GA X 3 X 24 C.S. cut from 6060-26-41008 SHEETS 4' x 8' x 10 GA. C.S. 20 each 14 GA X 3 X 24 C.S. CUT FROM 6060-26-41408 SHEETS 4' x 8' x 14 GA. C.S. .20 each 20 GA X 3 X 24 C.S. cut from 6060-26-52010 SHEETS 5' x 10' x 20 GA. C.S.	ICM MFG	3
TP-7108 EQUIP DRYER CONDENSATE RECEIVE	EQUIP DRYER CONDENSATE RECEIVER (DRYER A)	ICM MFG	5
TP-7110 EQUIP - TANK - DRYER CONDENSAT	EQUIP - TANK - DRYER CONDENSATE RATED AT 150 PSIG ASME CODE STAMPED HYDRO TESTED IN SHOP HEAT TREATED (STRESS RELIEVED AFTER WELDING) SH OP BLAST AND PAINT	ICM MFG	2
TS1-038-020DRIER TS1; 3/8 IN. X 20 IN. OAL	Single Braid Smooth Bore Teflon Hose w/Brass Male NPT x Brass JIC w/male adapter.	ICM MFG	368
TS1-038-028DRIER TS1; 3/8 IN. X 28 IN. OAL	Single Braid Smooth Bore Teflon Hose w/Brass Male NPT x Brass JIC w/male adapter.	ICM MFG	339
TS1-038-036DRIER TS1; 3/8 IN X 36 IN. OAL	Single Braid Smooth Bore Teflon Hose w/Brass Male NPT x Brass JIC w/male adapter.	ICM MFG	310
TS1-038-046DRIER TS1; 3/8 IN X 46 IN. OAL	Single Braid Smooth Bore Teflon Hose w/Brass Male NPT x Brass JIC w/male adapter.	ICM MFG	253
TS1-038-056DRIER TS1; 3/8 IN X 56 IN. OAL	Single Braid Smooth Bore Teflon Hose w/Brass Male NPT x Brass JIC w/male adapter.	ICM MFG	229



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			Updated July 17, 2011



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			Updated July 17, 2011



To place an order, or for more information, please call ICM Customer Service.

877.456.8588

Item Number and Description	Extended Desc	Category	Quantity Available
Type Shift+Ctrl+F to search this document			Updated July 17, 2011